Metaanalysen

1. Tsou et al: Diagnostic accuracy of ultrasound for upper extremity fractures in children: A systematic review and meta-analysis. The American Journal of Emergency Medicine 4/2020
2. Friend AJ, Roland D (2017) Distal forearm fractures can be reliably diagnosed using ultrasound. Archives of Disease in Childhood - Education and Practice 2017;102:275.
3. Douma-den Hamer, D., Blanker, M. H., Edens, M. A., Buijteweg, L. N., Boomsma, M. F., van Helden, S. H., Mauritz, G.-J. (2016). Ultrasound for Distal Forearm Fracture: A Systematic Review and Diagnostic Meta-Analysis. PLoS ONE, 11(5), e0155659. http://doi.org/10.1371/journal.pone.0155659
4. Chartier, L. B., Bosco, L., Lapointe-Shaw, L., & Chenkin, J. (2017). Use of point-of-care ultrasound in long bone fractures: a systematic review and meta-analysis. Canadian Journal of Emergency Medicine, 19(2), 131-142
5. Schmid GL, Lippmann S, Unverzagt S, Hofmann C, Deutsch T, Frese T (2017) Diagnostik bei Frakturverdacht – Ultraschall im Vergleich zu konventioneller Bildgebung. Systematisches Review und Metaanalyse. Dtsch Ärzteblatt 114 (45): 757-764
6. Lee, Sun Hwa, and Seong Jong Yun. "Diagnostic Performance of Ultrasonography for Detection of Pediatric Elbow Fracture: A Meta-analysis." Annals of emergency medicine (2019)
7. AWMF: S1 Leitlinie – Trauma des muskuloskelettalen Systems im Kindes- und Jugendalter – Bildgebende Diagnostik AWMF-Register Nr.064/019; Stand 6/2019; https://www.awmf.org/leitlinien/detail/ll/064-019.html

Veröffentlichung Strahlenschutzkommission

8. Orientierungshilfe für radiologische und nuklearmedizinische Untersuchungen. Version 2019 (www.ssk.de https://www.ssk.de/SharedDocs/Beratungsergebnisse_PDF/2019/2019-06-27Orientie.html?nn=2041716)

Originalarbeiten

9. Hauenstein C, Stuhldreier G, Mittlmeier T, Weber MA (2020) Frakturklassifikation – Teil 1. Moderne strahlensparende Diagnostik in der Kindertraumatologie. Der Radiologe https://doi.org/10.1007/s00117-020-00697-z
10. Ackermann, O., Wojciechowski, P., Dzierzega, M., Grosser, K., Schmitz-Franken, A., Rudolf, H., & Eckert, K. (2019). Sokrat II–An International, Prospective, Multicenter, Phase IV Diagnostic Trial to Evaluate the Efficacy of the Wrist SAFE Algorithm in Fracture Sonography of Distal Forearm Fractures in Children. Ultraschall in der Medizin-European Journal of Ultrasound, 40(03), 349-358.

11. Epema AC, Spanjer MJB, Ras L, et al (2019) Point-of-care ultrasound compared with conventional radiographic evaluation in children with suspected distal forearm fractures in the Netherlands: a diagnostic accuracy study. Emergency Medicine Journal 36:613-616
12. Hedelin H, Tingström C, Hebelka H, Karlsson J (2017) Minimal training sufficient to diagnose pediatric wrist fractures with ultrasound Crit Ultrasound J 9:11 DOI 10.1186/s13089-017-0066-z
13. Ko C, Baird M, Close M, Cassas KJ (2017) The Diagnostic Accuracy of Ultrasound in Detecting Distal Radius Fractures in a Pediatric Population. Clin J Sport Med. 2017 Nov 15. doi: 10.1097/JSM.0000000000000547
14. Ackermann O, Eckert K (2014) Sonographische Frakturdiagnostik im Kindesalter. in: Pädiatrische Ultraschalldiagnostik. Ecomed, Landsberg
15. Eckert K, Ackermann O (2014) Fraktursonographie im Kindesalter. Der Unfallchirurg 117:355-368)
16. Eckert K, Ackermann O (2015) Sonographische Frakturdiagnostik. Der Radiologe 55:992-999
17. Ackermann O, Hax PM, Lahner M, Eckert K (2015) Indikationen zur sonographischen Frakturdiagnostik von Frakturen im Wachstumsalter. Trauma Berufskrankh 17:115-121
18. Ackermann O, Eckert K (2015) Fraktursonographie in der Notaufnahme. Notfall + Rettungsmedizin 18:483-491
19. Ackermann O, Liedgens P, Eckert K, Chelangattucherry E, Husain B, Ruchholtz S (2009) Sonographische Diagnostik von metaphysären Wulstbrüchen. Der Unfallchirurg 112:706-711
20. Ackermann O, Emmanouilidis I, Rülander C (2009) Ist die Sonographie geeignet zur Primärdiagnostik kindlicher Vorderarmfrakturen ? Deutsche Zeitschrift für Sportmedizin 60:355-358
21. Ackermann O, Liedgens P, Eckert K, Chelangattucherry E, Ruelander C, Emmanouilidis I, Ruchholtz S (2010) Ultrasound diagnosis of juvenile forearm fractures. Journal of Medical Ultrasonics 37:123-127
22. Ackermann O, Sesia S, Berberich T, Liedgens P, Eckert K, Großer K, Roessler M, Rülander C, Vogel T (2010) Sonographische Diagnostik der subcapitalen Humerusfraktur im Wachstumsalter. Der Unfallchirurg 113:839-844
23. Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2012) Die Sonographie als sichere Alternative zur konventionellen Röntgendiagnostik bei distalen Unterarmfrakturen im Kindesalter. Z Orthop Unfall 150:409-414
24. Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2012) Sonographic diagnosis of metaphyseal forearm fractures in children: A safe and applicable alternative to standard X-rays. Pediatr Emerg Care 28:851-854
25. Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2013) Ultrasound evaluation of elbow fractures in children. Journal of Medical Ultrasonics 40:443-451
26. Ackermann O, Levine M, Eckert K, Rülander C, Stanjek M, Schulze-Pellengahr C (2013) Unsicherheit bei der radiologischen Achsbestimmung proximaler Humerusfrakturen. Z Orthop Unfall 151:74-79
27. Ackermann O, Eckert K, Rülander C, Endres S, Schulze-Pellengahr C (2013) Ultraschallbasierte Therapiesteuerung bei subcapitalen Humerusfrakturen im Wachstumsalter. Z Orthop Unfall 151:48-51
28. Eckert K, Ackermann O, Janssen N, Schweiger B, Radeloff E, Liedgens P (2013) Ultrasound diagnosis of supracondylar fractures in children. Eur J Trauma Emerg Surg 7:

29. Eckert K, Ackermann O, Janssen N, Schweiger B, Radeloff E, Liedgens P (2014) Accuracy of the sonographic Fat Pad Sign for primary screening of pediatric elbow fractures: a preliminary study. Journal of Medical Ultrasonics 41:473-480
30. Katzer C, Wasem J, Eckert K, Ackermann O, Buchberger B (2015) Ultrasound in the diagnostics of metaphyseal forearm fractures in children - a systematic review and cost calculation. Pediatric Emergency Care 31:

bezüglich Schmerzhaftigkeit:

31. F. Chaar-Alvarez, F. Warkentine, K. Cross, et al. Bedside Ultrasound Diagnosis of Nonangulated Distal Forearm Fractures in the Peadiatric Emergency Department. Pediatr Emerg Care. 2011 Nov;27(11):1027-32
32. Rowlands R, Rippey J, Tie S, et al. Bedside Ultrasound vs X-Ray for the Diagnosis of Forearm Fractures in Children. J Emerg Med [Internet]. 2017;52(2):208–15.
33. Poonai N, Myslik F, Joubert G, et al. Point-of-care Ultrasound for Nonangulated Distal Forearm Fractures in Children: Test Performance Characteristics and Patient-centered Outcomes. Acad Emerg Med. 2017;24(5):607–16.

Bücher und Buchbeiträge

34. Ackermann O (Hrsg) (2019) Fraktursonografie, 1. Auflage. Heidelberg, New York: Springer Verlag
35. Ackermann O, Eckert K (2015) Fracture Sonography. in: Dietrich CF: EFSUMB Course Book. EFSUMB
36. Ackermann O, Eckert K (2014) Sonographische Frakturdiagnostik im Kindesalter. in: Pädiatrische Ultraschalldiagnostik. Ecomed, Landsberg
37. Ackermann O (2016) Kapitel 4.7.2 Fraktursonografie im Wachstumsalter. in: Breusch S, Clarius M, Mau H, Sabo D: Klinikleitfaden Orthopädie und Unfallchirurgie. Urban & Fischer Verlag/Elsevier GmbH, München, Jena

Erweiterte Literaturliste zur Fraktursongrafie
(nach Lokalisation und Jahrgang; M hinter dem Jahrgang= Metaanalyse)

1. AC Gelenk 1994 KockHJ et al. Standardisierte sonographische Untersuchung zur Klassifizierung der instabilität des Schultereckgelenkes. Unfallchirurgie 1994; 20: 66-71
2. AC Gelenk 2004 Iovane A, Midiri M, Galia M, et al. Acute traumatic acromioclavicular joint lesions: role of ultrasound versus conventional radiography. Radiol Med. 2004;107(4):367-375.

3. AC Gelenk 2005 Ferri, M., Finlay, K., Popowich, T., Jurriaans, E., & Friedman, L. (2005). Sonographic examination of the acromioclavicular and sternoclavicular joints. Journal of Clinical Ultrasound, 33(7), 345-355.
4. AC Gelenk 2017 Pogorzelski J, Beitzel K, Ranuccio F, et al. The acutely injured acromioclavicular joint - which imaging modalities should be used for accurate diagnosis? A systematic review. BMC Musculoskelet Disord. 2017;18(1):515. doi:10.1186/s12891-017-1864-y
5. AC Gelenk 2018 Krill MK, Rosas S, Kwon K, Dakkak A, Nwachukwu BU, McCormick F. A concise evidence-based physical examination for diagnosis of acromioclavicular joint pathology: a systematic review. Phys Sportsmed. 2018;46(1):98-104. doi:10.1080/00913847.2018.1413920
6. Allgemein 1976 Kuryshev AN.[Ultrasonic diagnosis of certain injuries of the limbs]. Vestn Khir Im I I Grek. 1976 Mar 116(3):75-7.
7. Allgemein 1983 Moss A Mowat AG.Ultrasonic assessment of stress fractures. Br Med J (Clin Res Ed). 1983 May 7 286(6376):1479-80
8. Allgemein 1986 Ricciardi L Perissinotto A Visentin .Ultrasonography in the evaluation of osteogenesis in fractures treated with Hoffmann external fixation. Ital J Orthop Traumatol. 1986 Jun 12(2):185-9
9. Allgemein 1988 Löffler L Keyl W.[Excessive stress damage of the lower extremity caused by sports. The value of sonographic diagnosis in stress damage of the lower extremity]. Sportverletz Sportschaden. 1988 Dec 2(4):147-52.
10. Allgemein 1988 Graif M Stahl-Kent V Ben-Ami TStrauss S Amit Y Itzchak Y.Sonographic detection of occult bone fractures. Pediatr Radiol. 1988 18(5):383-5.
11. Allgemein 1990 Smeets AJ, Robben SGF, Meradji M. Sonographically detected costo-chondral dislocation in an abused child. A new sonographic sign to the radiological spectrum of child abuse. Pediatr Radiol 1990;20:566-567
12. Allgemein 1995 Dell'Acqua A Boero S.[The echographic follow-up of patients treated with an external fixator in childhood and adolescence]. Radiol Med. 1995 Apr 89(4):409-15.
13. Allgemein 1995 Rathfelder FJ, Paar O. Possibilities for using sonography as a diagnostic procedure in fracture during the growth period. Unfallchirurg 1995; 98: 645-649
14. Allgemein 1998 Grechenig W, Clement HG, Fellinger M. Scope and limitation of ultrasonography in the documentation of fractures. An experimental study. Arch Ortho trauma Surg. 1998; 117: 368-371
15. Allgemein 2000 Hübner U, Schlicht W, Outzen S, Barthel M, Halsband H. Ultrasound in the diagnosis of fractures in children. J Bone Joint Surg Br. 2000;82(8):1170-1173. doi:10.1302/0301-620x.82b8.10087
16. Allgemein 2000 Hubner U, Schkict W, Outzen S, et al. Ultrasound inthe diagnosis of fractures in children. J Bone JointSurg (Br) 2000;82-B:1170
17. Allgemein 2001 Legome E, Marshburn T, Noble V, et al. Goal-directed ultrasound scanning by emergency physicians and surgeons candiagnose long-bone fractures [abstract]. Ann Emerg Med 2001; 38(suppl):S100
18. Allgemein 2002 Grechenig, W., Peicha, G., Clement, H. et al. Sonographie beim Trauma. Orthopäde 31, 143 153 (2002). https://doi.org/10.1007/s00132-001-0235-3
19. Allgemein 2003 F. Eksioglu, D. Altinok, M.M. Uslu et al. Ultrasonographic findings in pediatric fractures Turk J Pediatr, 45 (2003), pp. 136-140

20. Allgemein 2003 Fatih E, Deniz A, M. Murad Ulsu, Eftal G. Ultrasonographic findings in paediatric fractures. The Turkish Journal of paediatrics 2003; 45: 136-140
21. Allgemein 2003 Noble VE, Legome E, Marshburn T. Long bone ultrasound: making the diagnosis in remote locations. J Trauma 2003;54:800.
22. Allgemein 2003 V.E. Noble, E. Legome, T. Marshburn Long bone ultrasound: making the diagnosis in remote locations J Trauma, 54 (2003), p. 800
23. Allgemein 2003 Eksioglu F, Altinok D, Uslu MM, et al. Sonographic fi ndings in pediatric fractures. Turk J Pediatr 2003;45:136 40.
24. Allgemein 2003 Eksioglu F, D A, Mm U, E G. Ultrasonographic findings in pediatric fractures. The Turkish journal of pediatrics. 2003;45(2). Accessed December 2, 2020. https://pubmed.ncbi.nlm.nih.gov/12921301/
25. Allgemein 2004 T.H. Marshburn, E. Legome, A. Sargsyan et al. Goal-directed ultrasound in the detection of long-bone fractures J Trauma, 57 (2004), pp. 329-332
26. Allgemein 2004 Cho KH, Lee YH, Lee SM, Shahid MU, Suh KJ, Choi JH.Sonography of bone and bone-related diseases of the extremities. J Clin Ultrasound 2004;32:511-521
27. Allgemein 2004 Brooks AJ, Price V, Simms M, Ward N, Hand CJ.Handheld ultrasound diagnosis of extremity fractures.J R Army Med Corps 2004;150(2):78-80.
28. Allgemein 2004 Marshburn T, E L, A S, et al. Goal-directed ultrasound in the detection of long-bone fractures. The Journal of trauma. 2004;57(2). doi:10.1097/01.ta.0000088005.35520.cb
29. Allgemein 2005 Weiss DB, Jacobson JA, Karunakar MA. The use of ultra-sound in evaluating orthopedic trauma patients. J AmAcad Orthop Surg 2005; 13:525-533
30. Allgemein 2006 Tomer K, Kleinbaum Y, Heyman Z, Dudkiewicz I, Blankstein A. Ultrasound Diagnosis of Fractures in Adults. Aktuelle Traumatol. 2006;36(4):171-174. doi:10.1055/s-2006-924591
31. Allgemein 2007 Chen L, Baker MD. Novel applications of ultrasoundin pediatric emergency medicine. Pediatr EmergCare. 2007; 23:115 26
32. Allgemein 2008 Graif M, Stabl-kent V, Ben-Ami T. Sonographic detection of occult bone fracture paediatric radiol 1988; 18: 383-385.Annals of the College of Medicine Vol. 34 No. 1, 2008
33. Allgemein 2008 Haddad-Zebouni S, Abi Khalil S, Roukos S, Menassa-Moussa L, Smayra T, Aoun N, et al. Limb fractures: ultrasound imaging features. J Radiol 2008;89:557-563
34. Allgemein 2008 J.K. Spencer, R.S. Adler Utility of portable ultrasound in a community in Ghana J Ultrasound Med, 27 (2008), pp. 1735-1743
35. Allgemein 2008 Chenkin JLee SHuynh T et al. Procedures can be learned on the web: A randomized study of ultrasound-guided vascular access training Academic Emergency Medicine (2008) 15(10) 949-954
36. Allgemein 2008 Barata I, Gong J, Suppiah A, Kapoor M, Shekher M,Siciliano G, et al. The utility of bedside ultrasonographyin identifying fractures in the emergency department.Ann Emerg Med 2008;52(4):S60.
37. Allgemein 2009 Patel DD, Blumberg SM, Crain EF. The utility of bedside ultrasonography in identifying fractures and guiding fracture reduction in children. Pediatr Emerg Care. 2009;25(4):221-225. doi:10.1097/pec.0b013e31819e34f7
38. Allgemein 2009 MORITZ, J. D., et al. Kann Ultraschall das Röntgen in der pädiatrischen Frakturdiagnostik ersetzen?. Ultraschall in der Medizin-European Journal of Ultrasound, 2009, 30. Jg., Nr. S 01, S. V3_01

39. Allgemein 2009 McNeil C, McManus J, Mehta S. The accuracy of portable ultrasonography to diagnose fractures in an austere environment. Prehospital emergency care?: official journal of the National Association of EMS Physicians and the National Association of State EMS Directors. 2009;13(1). doi:10.1080/10903120802474513
40. Allgemein 2009 Patel D, Blumberg S, Crain E. The utility of bedside ultrasonography in identifying fractures and guiding fracture reduction in children. Pediatric emergency care. 2009;25(4). doi:10.1097/pec.0b013e31819e34f7
41. Allgemein 2009 C.R. McNeil, J. McManus, S. Mehta The accuracy of portable ultrasonography to diagnose fractures in an austere environment Prehosp Emerg Care, 13 (2009), pp. 50-52
42. Allgemein 2010 Eric R. Weinberg, Michael G. Tunik, James W. Tsung. 2010. Accuracy of clinician-performed point-of-care ultrasound for the diagnosis of fractures in children and young adults. Injury 41:8, 862-868
43. Allgemein 2010 E.R. Weinberg, M.G. Tunik, J.W. Tsung Accuracy of clinician-performed point-of-care ultrasound for the diagnosis of fractures in children and young adults Injury, 41 (2010), pp. 862-868
44. Allgemein 2010 K.H. Cho, S.M. Lee, Y.H. Lee et al. Ultrasound diagnosis of either an occult or missed fracture of an extremity in pediatric-aged children Korean J Radiol, 15 (2010), pp. 84-94
45. Allgemein 2010 Weinberg E, Tunik M, Tsung J. Accuracy of clinician-performed point-of-care ultrasound for the diagnosis of fractures in children and young adults. Injury. 2010;41(8). doi:10.1016/j.injury.2010.04.020
46. Allgemein 2011 Abi KS, Haddad-Zebouni S, Roukoz S, Smayra T, Kamal H, Menassa-Moussa L, et al. Ultrasound as an adjunct to radiography in minor musculoskeletal pediatric trauma. J Med Liban 2011 Apr-Jun; 59(2):70 74. PMID: 21834490
47. Allgemein 2011 Sinha TP, Bhoi S, Kumar S, Ramchandani R, Goswami A, Kurrey L, et al. Diagnostic accuracy of bedside emergency ultrasound screening for fractures in pediatric trauma patients. J Emerg Trauma Shock2011 Oct; 4(4):443 445. doi: 10.4103/0974-2700.86625 PMID: 22090734
48. Allgemein 2011 Abi K, Haddad-Zebouni S, Roukoz S, et al. Ultrasound as an adjunct to radiography in minor musculoskeletal pediatric trauma. Le Journal medical libanais The Lebanese medical journal. 2011;59(2).
49. Allgemein 2011 Sinha T, Bhoi S, Kumar S, et al. Diagnostic accuracy of bedside emergency ultrasound screening for fractures in pediatric trauma patients. Journal of emergencies, trauma, and shock. 2011;4(4). doi:10.4103/0974-2700.86625
50. Allgemein 2011 T.P. Sinha, S. Bhoi, S. Kumar, R. Ramchandani, A. Goswami, L. Kurrey, S. Galwankar, Diagnostic accuracy of bedside emergency ultrasound screening for fractures in pediatric trauma patients, J. Emerg. Trauma Shock 4 (2011) 443 445, https://doi.org/10.4103/0974-2700.86625
51. Allgemein 2011 Sinha T.P. Bhoi S. Kumar S. et al. Diagnostic accuracy of bedside emergency ultrasound screening for fractures in pediatric trauma patients. J Emerg Trauma Shock. 2011; 4: 443-445
52. Allgemein 2012 Eckert K, Ackermann O, Radeloff E, Liedgens P (2012) Sonographische Frakturdiagnostik im Kindesalter - eine sichere Alternative zum konventionellen Röntgen. Ultraschall in Med 33:A1001

53. Allgemein 2012 Beltrame V, Stramare R, Rebellato N, Angelini F, Frigo AC, Rubaltelli L. Sonographic evaluation of bone fractures: a reliable alternative in clinical practice? Clinical Imaging. 2012;36(3):203-308
54. Allgemein 2012 Barata I, Spencer R, A S, Raio C, Ward Mf, Sama A. Emergency ultrasound in the detection of pediatric long-bone fractures. Pediatric emergency care. 2012;28(11). doi:10.1097/PEC.0b013e3182716fb7
55. Allgemein 2013 Joshi N, Lira A, Mehta N, Paladino L, Sinert R. Diagnostic Accuracy of History, Physical Examination, and Bedside Ultrasound for Diagnosis of Extremity Fractures in the Emergency Department: A Systematic Review. Academic Emergency Medicine.2013;20(1):1-15
56. Allgemein 2013 Bolandparvaz S, Moharamzadeh P, Jamali K, Pouraghaei M, Fadaie M, Sefidbakht S, et al. Comparing diagnostic accuracy of bedside ultrasound and radiography for bone fracture screening in multiple trauma patients at the ED. Am J Emerg Med 2013;31(11):1583 5.
57. Allgemein 2013 Saul T, Ng L, Lewiss RE. Point-of-care ultrasound in the diagnosis of upper extremity fracture-dislocation: A pictorial essay. Med Ultrasonography 2013; 15(3):230
58. Allgemein 2015 Adibi S. Shakibafard A. Karimi Sarvestani Z. Saadat N. Khojastepour L. Effect of cortical bone thickness on detection of intraosseous lesions by ultrasonography.Radiol Res Pract. 2015; 2015797593
59. Allgemein 2015 Dallaudi re B, Larbi A, Lefere M, et al.: Musculoskeletal injuries in a resource-constrained environment: comparing diagnostic accuracy of on-the-spot ultrasonography and conventional radiography for bone fracture screening during the Paris-Dakar rally raid. Acta Radiol Open 2015; 4: 2058460115577566
60. Allgemein 2015 Eckert K, Ackermann O (2015) Sonographische Frakturdiagnostik. Der Radiologe 55:992-999
61. Allgemein 2015 Ackermann O, Eckert K (2015) Fraktursonographie in der Notaufnahme. Notfall + Rettungsmedizin 18:483-491
62. Allgemein 2015 Ackermann O, Hax PM, Lahner M, Eckert K (2015) Indikationen zur sonographischen Frakturdiagnostik von Frakturen im Wachstumsalter. Trauma Berufskrankh 17:115-121
63. Allgemein 2015 Musa S, Wilson P. Ultrasonography and radiography: a comparison. Emerg Nurse 2015 May; 23 (2):34-37. doi: 10.7748/en.23.2.34.e1416 PMID: 25952400
64. Allgemein 2016 Marin J.R. Abo A.M. Arroyo A.C. et al. Pediatric emergency medicine point-of-care ultrasound: summary of the evidence. Crit Ultrasound J. 2016; 8: 16
65. Allgemein 2017 Schmid GL, Lippmann S, Unverzagt S, Hofmann C, Deutsch T, Frese T. The Investigation of Suspected Fracture-a Comparison of Ultrasound With Conventional Imaging. Dtsch Arztebl Int. 2017;114(45):757-764. doi:10.3238/arztebl.2017.0757
66. Allgemein 2017 Gaulrapp H, Schoof P, Ackermann O (2017) Ultraschalldiagnostik der Bewegungsorgane im Kindes- und Jugendalter. Orthopädie und Unfallchiurrgie up2date 12:295-315
67. Allgemein 2017 Wang C.C., Linden K.L. Otero H.J. Sonographic evaluation of fractures in children. J Diagn Med Sonography. 2017; 33: 200-207
68. Allgemein 2017 Abu-Zidan, F. M. (2017). Ultrasound diagnosis of fractures in mass casualty incidents. World journal of orthopedics, 8(8), 606.
69. Allgemein 2017 A. Frouzan, K. Masoumi, A. Delirroyfard, B. Mazdaie, E. Bagherzadegan, Diagnostic accuracy of ultrasound in upper and lower extremity long bone fractures of

emergency department trauma patients, Electron. Physician 9 (2017) 5092 5097, https://doi.org/10.19082/5092
70. Allgemein 2019 Akinmade A. Ikem I. Ayoola O. Orimolade E. Adeyeye A. Comparing ultrasonography with plain radiography in the diagnosis of paediatric long-bone fractures.Int Orthop. 2019; 43: 1143-1153
71. Allgemein 2019 Sorensen, Hunskaar Point-of-care ultrasound in primary care: a systematic review of generalist performed point-of-care ultrasound in unselected populations Ultrasound J (2019) 11:31 https://doi.org/10.1186/s13089-019-0145-4
72. Allgemein 2019 Champagne, N., Eadie, L., Regan, L. et al. The effectiveness of ultrasound in the detection of fractures in adults with suspected upper or lower limb injury: a systematic review and subgroup meta-analysis. BMC Emerg Med 19, 17 (2019). https://doi.org/10.1186/s12873-019-0226-5
73. Allgemein 2019 Ackermann O (Hrsg), Dietrich C, Eckert K, Feldkamp A, Fischer C, Gaulrapp H, Hien N, Kock HJ, Kponton T, Schamberger C, Tesch C (2019) Fraktursonografie. in: Fraktursonografie. Springer, Heidelberg, New York
74. Allgemein 2019 2019 SSK Orientierungshilfe bildgebende Verfahren.pdf
75. Allgemein 2020 Ackermann O, Simanowski J, Eckert K (2020) Fraktursonografie der Extremitäten. Ultraschall in Med 41:12-28
76. Allgemein 2020 Soon, A. W., Toney, A. G., Stidham, T., Kendall, J., & Roosevelt, G. (2020). Teaching Point-of-Care Lung Ultrasound to Novice Pediatric Learners: Web-Based E-Learning Versus Traditional Classroom Didactic. Pediatric Emergency Care, 36(7), 317 321. https://doi.org/10.1097/PEC.0000000000001482
77. Allgemein 2020 Tsou P-Y, Ma Y-K, Wang Y-H, Gillon JT, Rafael J, Deanehan JK. Diagnostic accuracy of ultrasound for upper extremity fractures in children: A systematic review and meta-analysis. Am J Emerg Med. Published online April 27, 2020. doi:10.1016/j.ajem.2020.04.071
78. Allgemein 2021 Caroselli C, Raffaldi I, Norbedo S, et al. Accuracy of Point-of-Care Ultrasound in Detecting Fractures in Children: A Validation Study. Ultrasound in Medicine & Biology. 2021;47(1):68-75. doi:10.1016/j.ultrasmedbio.2020.09.012
79. Clavicula 1988 R. Katz, J. Landman, F. Dulitzky et al. Fracture of the clavicle in the newborn. An ultrasound diagnosis J Ultrasound Med, 7 (1988), pp. 21-23
80. Clavicula 1988 M. Graif, V. Stahl-Kent, T. Ben-Ami et al. Sonographic detection of occult bone fractures Pediatr Radiol, 18 (1988), pp. 383-385
81. Clavicula 1988 Katz-R, Landman J, Dultizky F, Bar-ziv. Fracture of the clavicle in new born. Journal of ultrasound in medicine; 1988; 7: 21-3
82. Clavicula 1988 Katz, R., Landman, J., Dulitzky, F., & Bar-Ziv, J. (1988). Fracture of the clavicle in the newborn. An ultrasound diagnosis. Journal of ultrasound in medicine, 7(1), 21-23.
83. Clavicula 1989 Bartoli E, Saporetti N, Marchetti S. [The role of echography in the diagnosis of neonatal clavicular fractures] [Italian]. Radiol Med. 1989; 77:466 9.
84. Clavicula 1999 Blab E, Geibler W, Rokitansky A. Sonographic management of infantile clavicular fracture. Paediatric Surg. 1999; 15: 251-254
85. Clavicula 2003 Kayser R, Mahlfeld K, Heyde C, Grasshoff H. Ultrasonographic imaging of fractures of the clavicle innewborn infants. J Bone Joint Surg Br. 2003;85:115 6.
86. Clavicula 2003 Sferopoulos NK. Fracture separation of the medialclavicular epiphysis: ultrasonography findings. ArchOrthop Trauma Surg. 2003; 123:367 9.

87. Clavicula 2003 Kayser Ralph. Ultrasonographic imaging of fractures of the clavicle in newborn infant. J. bone and joint surgery 2003;162: 44
88. Clavicula 2003 "Kayser R Mahlfeld K Heyde C Grasshoff H.Ultrasonographic imaging of fractures of the clavicle in newborn infants. J Bone Joint Surg Br. 2003 Jan"
89. Clavicula 2010 M. Chien, B. Bulloch, M. Youssfi et al. Diagnosis of pediatric clavicle fractures [Abst] Pediatric Academic Societies (2010) Vancouver, BC
90. Clavicula 2010 Cross, K. P., Warkentine, F. H., Kim, I. K., Gracely, E., & Paul, R. I. (2010). Bedside ultrasound diagnosis of clavicle fractures in the pediatric emergency department. Academic Emergency Medicine, 17(7), 687-693.
91. Clavicula 2010 K.P. Cross, F.W. Warkentine, I.K. Kim et al. Bedside ultrasound diagnosis of clavicle fractures in the pediatric emergency department Acad Emerg Med, 17 (2010), pp. 687-693
92. Clavicula 2011 Chien M, Bulloch B, Garcia-Filion P, Youssfi M, Shrader MW, Segal LS: Bedside ultrasound in the diagnosis of pediatric clavicle fractures. Pediatr Emerg Care 2011;27(11):1038
93. Clavicula 2011 Chien, M., Bulloch, B., Garcia-Filion, P., Youssfi, M., Shrader, M. W., & Segal, L. S. (2011). Bedside ultrasound in the diagnosis of pediatric clavicle fractures. Pediatric emergency care, 27(11), 1038-1041
94. Clavicula 2011 Blakeley, C. J., Harrison, H. L., Siow, S., & Hashemi, K. (2011). The use of bedside ultrasound to diagnose posterior sterno-clavicular dislocation. Emergency Medicine Journal, 28(6), 542-542.
95. Clavicula 2017 Bengtzen, R. R., & Petering, R. C. (2017). Point-of-care ultrasound diagnosis of posterior sternoclavicular joint dislocation. The Journal of Emergency Medicine, 52(4), 513-515.
96. Clavicula 2017 Thorsmark AH, Christensen OM, Torp-Pedersen S, Overgaard S, Frich LH. Changes in clavicle length in acute fractures within 3 weeks: a prospective ultrasonographic study of 59 patients. BMC Musculoskelet Disord. 2017;18(1):503. doi:10.1186/s12891-017-1842-4
97. Clavicula 2020 Sprague J. Comparison Study: Point-Of-Care Ultrasonography vs. Plain Radiography to Diagnose Clavicular Fractures in The Pediatric Population. Published online August 2020.
98. Ellenbogen 1989 Miles KA, Lamont AC. Ultrasonic demonstration of the elbow fat pads. Clin Radiol. 1989;40:602-604
99. Ellenbogen 1991 Barr LL, Babcock DS. Sonograhphy of the normal elbow.Am J Roentgenol 1991:157(4):793-798
100. Ellenbogen 1992 Markowitz RI Davidson RS Harty MP Bellah RD Hubbard AM Rosenberg HK.Sonography of the elbow in infants and children. AJR Am J Roentgenol. 1992 Oct 159(4):829-33.
101. Ellenbogen 1996 N. Ziv, A. Litwin, K. Katz et al. Definitive diagnosis of fracture-separation of the distal humeral epiphysis in neonates by ultrasonography Pediatr Radiol, 26 (1996), pp. 493-496
102. Ellenbogen 1997 Keßler T, Duchene W, Köpke J,Winkler H,Wentzensen A (1997) Ist die Arthrosonographie des Ellenbogens eine sinnvolle Ergänzung bei der Beurteilung des traumatisierten Gelenkes? Eine Darstellung am Beispiel der Radiusköpfchenfraktur. Aktuel Traumatol 1997: 158-161

103. Ellenbogen 1997 Brown J, Eustace S. Neonatal transphyseal supracondy-lar fracture detected by ultrasound. Pediatr Emerg Care 1997;13 (6):410-412
104. Ellenbogen 1998 De Maeseneer M. Jacobson J.A. Jaovisidha S. et al. Elbow effusions: distribution of joint fluid with flexion and extension and imaging implications. Invest Radiol. 1998; 33: 117-125
105. Ellenbogen 2000 May DA, Disler DG, Jone EA. Using sonography to diagnose an unossified medial epicondyle avulsion in a child. AJR 2000; 174: 115-117.
106. Ellenbogen 2001 Vocke-Hell AK, Schmid A. Sonographic differentiation ofstable and unstable lateral condyle fractures of the humerus in children. J Pediatr Orthop B 2001;10(2):138-141.
107. Ellenbogen 2003 Kirkpatrick A, Brown R, Diebel L, Nicolaou S, Marshburn T,Dulchavsky S. Rapid diagnosis of an ulnar fracture withportable hand-held ultrasound. Mil Med 2003; 168:312-313.
108. Ellenbogen 2003 G. Pistor, H. Graffstadt Sonographic diagnosis of supracondylar fractures of the humerus Ultraschall Med, 24 (2003), pp. 331-339
109. Ellenbogen 2004 Kim MC, Eckhardt BP, Craig C (2004) Ultrasonography of the annular ligament partial tear and recurrent pulled elbow . Pediatr Radiol 34(12):999 1004
110. Ellenbogen 2008 Zuazo I, Bonnefoy O, Tauzin C, et al. Acute elbow trauma in children: role of ultrasonography. Pediatr Radiol. 2008;38:982-988.
111. Ellenbogen 2008 J.D. Zhang, H. Chen Ultrasonography for non-displaced and mini-displaced humeral lateral condyle fractures in children Chin J Traumatol, 11 (2008), pp. 297-300
112. Ellenbogen 2008 Zuazo, I., Bonnefoy, O., Tauzin, C. et al. Acute elbow trauma in children: role of ultrasonography. Pediatr Radiol 38, 982 988 (2008). https://doi.org/10.1007/s00247-008-0935-5
113. Ellenbogen 2008 Zhang J, Chen H. Ultrasonography for non-displaced and mini-displaced humeral lateral condyle fractures in children. Chin J Traumatol. 2008;11(5):297-300. doi:10.1016/s1008-1275(08)60060-7
114. Ellenbogen 2010 Tsung, J. W., & Blaivas, M. (2010). Rapid screening for the posterior fat pad sign in suspected pediatric elbow fractures using point-of-care ultrasound: a FAST exam for the traumatized elbow. Critical Ultrasound Journal, 1(3), 111-116.
115. Ellenbogen 2010 Tsung J.W. Blaivas M. Rapid screening for the posterior fat pad sign in suspected pediatric elbow fractures using point-of-care ultrasound: a FAST exam for the traumatized elbow. Crit Ultrasound J. 2010; 1: 111-116
116. Ellenbogen 2011 Blumberg S.M. Kunkov S. Crain E.F. et al. The predictive value of a normal radiographic anterior fat pad sign following elbow trauma in children. Pediatr Emerg Care. 2011; 27: 596-600
117. Ellenbogen 2012 Al-Aubaidi Z, Torfing T. The role of fat pad sign in diagnosing occult elbow fractures in the pediatric patient: a prospective magnetic resonance imaging study. J Pediatr Orthop B. 2012;21(6):514-519. doi:10.1097/BPB.0b013e328355e5d8
118. Ellenbogen 2013 Eckert K, Ackermann O, Janssen N, Schweiger B, Radeloff E, Liedgens P (2013) Ultrasound diagnosis of supracondylar fractures in children. Eur J Trauma Emerg Surg 7:
119. Ellenbogen 2013 Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2013) Ultrasound evaluation of elbow fractures in children. Journal of Medical Ultrasonics 40:443-451

120. Ellenbogen 2013 Rabiner JE, Khine H, Avner JR, Friedman LM, Tsung JW. Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children. Ann Emerg Med. 2013;61(1):9-17. doi:10.1016/j.annemergmed.2012.07.112
121. Ellenbogen 2013 Rabiner, J. E., Khine, H., Avner, J. R., Friedman, L. M., & Tsung, J. W. (2013). Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children. Annals of Emergency Medicine, 61(1), 9-17.
122. Ellenbogen 2014 Rabiner, J. E., Khine, H., Avner, J. R., & Tsung, J. W. (2014, December). Ultrasound findings of the elbow posterior fat pad in children with radial head subluxation. In Critical Ultrasound Journal (Vol. 6, No. 1, pp. 1-1). SpringerOpen.
123. Ellenbogen 2014 Eckert K, Ackermann O, Janssen N, Schweiger B, Radeloff E, Liedgens P (2014) Accuracy of the sonographic Fat Pad Sign for primary screening of pediatric elbow fractures: a preliminary study. Journal of Medical Ultrasonics 41:473-480
124. Ellenbogen 2015 Rabiner JE, Khine H, Avner JR, Tsung JW. Ultrasound findings of the elbow posterior fat pad in children with radial head subluxation. Pediatr Emerg Care. 2015;31(5):327-330. doi:10.1097/PEC.0000000000000420
125. Ellenbogen 2016 Burnier M. Buisson G. Ricard A. et al. Diagnostic value of ultrasonography in elbow trauma in children: prospective study of 34 cases. Orthop Traumatol Surg Res. 2016; 102: 839-843
126. Ellenbogen 2016 Avc M, Kozac N, Beydilli , Yilmaz F, Eden AO, Turhan S. The comparison of bedside point-of-care ultrasound and computed tomography in elbow injuries. Am J Emerg Med. 2016;34(11):2186-2190. doi:10.1016/j.ajem.2016.08.054
127. Ellenbogen 2016 Ackermann O (2016) Fraktursonographie am Ellenbogen. in: Gaulrapp H, Binder C: Aufbaukurs Sonografie der Bewegungsorgane. Elsevier, München
128. Ellenbogen 2016 Burnier, M., Buisson, G., Ricard, A., Cunin, V., Pracros, J. P., & Chotel, F. (2016). Diagnostic value of ultrasonography in elbow trauma in children: prospective study of 34 cases. Orthopaedics & Traumatology: Surgery & Research, 102(7), 839-843
129. Ellenbogen 2016 Avci, M., Kozaci, N., Beydilli, I., Yilmaz, F., Eden, A. O., & Turhan, S. (2016). The comparison of bedside point-of-care ultrasound and computed tomography in elbow injuries. The American journal of emergency medicine, 34(11), 2186-2190
130. Ellenbogen 2017 Okumura, Y., Maldonado, N., Lennon, K., McCarty, B., Underwood, P., & Nelson, M. (2017). Point-of-Care Ultrasound: Sonographic Posterior Fat Pad Sign: A Case Report and Brief Literature Review. The Journal of Emergency Medicine, 53(1), 98-101
131. Ellenbogen 2018 Tokarski, J., Avner, J. R., & Rabiner, J. E. (2018). Reduction of Radiography with Point-of-Care Elbow Ultrasonography for Elbow Trauma in Children. The Journal of pediatrics, 198, 214-219.
132. Ellenbogen 2019 Lee, S. H., & Yun, S. J. (2019). Diagnostic performance of ultrasonography for detection of pediatric elbow fracture: a meta-analysis. Annals of emergency medicine. Volume 74, Issue 4 2019, Pages 493-502
133. Ellenbogen 2019 Lee SH, Yun SJ. Diagnostic performance of ultrasonography for detection of pediatric elbow fracture: a meta-analysis. Annals of emergency medicine. 2019 Oct 1;74(4):493- 502
134. Finger 2016 Aksay E, Kilic TY, Yesilaras M, Tur FC, Sever M, Kalenderer O. Accuracy ofbedside utrasonography for the diagnosis of finger fractures. Am J EmergMed. 2016;34(5):809 12.
135. Fuß 1993 Moss A, Mowat AG. Ultrasound assessment of stress fracture. BMJ 1993;1286:1949

136. Gesichtsschädel 1981 Ord RA Le May M Duncan JG Moos KF.Computerized tomography and B-scan ultrasonography in the diagnosis of fractures of the medial orbital wall. Plast Reconstr Surg. 1981 Mar 67(3):281-8
137. Gesichtsschädel 1984 Rochels R Scherer U Geyer G Krummel F.[Echographic diagnosis of orbital floor fractures]. Laryngol Rhinol Otol (Stuttg). 1984 Oct 63(10):494-7.
138. Gesichtsschädel 1990 Akizuki H Yoshida H Michi K.Ultrasonographic evaluation during reduction of zygomatic arch fractures. J Craniomaxillofac Surg. 1990 Aug 18(6):263-6
139. Gesichtsschädel 1990 Fleiner B, Hoffmeister B, Fröschl T. Sonographic diagnosis of mandibular fractures in children. Dtsch Zahn arztl Z 1990;45:807-9.
140. Gesichtsschädel 1991 Friedrich RE Volkenstein RJ.[The value of ultrasonography in the diagnosis of zygomatic arch fractures]. Dtsch Z Mund Kiefer Gesichtschir. 1991 Nov-Dec 15(6):472-9.
141. Gesichtsschädel 1993 Forrest CR, Lata AC, Marcuzzi DW, Bailey MH. The role of orbital ultrasound in the diagnosis of orbital fractures. Plast Reconstr Surg 1993;92:28-34
142. Gesichtsschädel 1996 Klinger M, Danter J, Siegert R. Ultrasound diagnosis of orbital floor fractures: an alternative to computerized tomography? Laryngorhinootologie 1996;75:242-6.
143. Gesichtsschädel 1996 Fleiner B, Rittmeier U. Ultrasound imaging of mandibular fractures:an experimental study. Fortschr Kiefer Gesichtschir 1996;41:55-8
144. Gesichtsschädel 1996 Volkenstein R, Friedrich R, Vesper M, Gehrke G. Mandibular collum fracture in the ultrasound image: indications and limits from the viewpoint of 3 years, imaging experiences. Fortschr Kiefer Gesichtschir 1996;41:117-20
145. Gesichtsschädel 1996 Hirai T, Manders EK, Nagamoto K, Saggers GC. Ultrasonic observation of facial bone fractures:report of cases. J Oral Maxillofac Surg 1996;54:776 779
146. Gesichtsschädel 1997 Jenkins CN, Thuau H. Ultrasound imaging in assessment of fractures of the orbital floor. Clin Radiol 1997;52:708-11
147. Gesichtsschädel 2003 "Rajesh P Rai AB.A comparison between radiography and ultrasonography in the diagnosis of zygomatic arch fracture. Indian J Dent Res. 2003 Apr-Jun"
148. Gesichtsschädel 2003 Friedrich RE, Heiland M, Batel-Friedrich S. Potentials of ultrasound in the diagnosis of midfacial fractures. Clin Oral Invest 2003; 7:226-229
149. Gesichtsschädel 2004 Jank S, Emshoff R, Etzelsdorfer M, Strobl H, Nicasi A, Norer B. Ultrasound versus computed tomography in the imaging of orbital floor fractures. J Oral Maxillofac Surg 2004;62:150-154.
150. Gesichtsschädel 2010 Nezafati S, Javadrashid R, Rad S, Akrami S. Comparison of ultrasonography with submentovertex films and computed tomographyscan in the diagnosis of zygomatic arch fractures. Dentomaxillofac Radiol 2010;39:11 6.
151. Gesichtsschädel 2012 Ogunmuyiwa S, Fatusi O, Ugboko V, Ayoola O, Maaji S: The validity of ultrasonography in the diagnosis of zygomaticomaxillary complex fractures. Int J Oral Maxillofac Surg 2012;41(4):500
152. Handgelenk 1987 Sapozhnikov VG Sedin IuF Sytnikova KIa.Ultrasonic examination of children with fractures of the forearm bones]. Khirurgiia (Mosk). 1987 Aug (8):111-3.
153. Handgelenk 2000 Williamson D, Watura R, Cobby M. Ultrasoundimaging of forearm fractures in children: a viable alternative? J Accid Emerg Med 2000;17:22
154. Handgelenk 2000 Dominic W, Roland W, and Mark C. Ultrasound imaging of forearm fractures in children. J Accid Emerg. Med. 2000; 17: 22-24

155. Handgelenk 2000 William D. Ultrasound imaging of forearm fractures in children. Available alternative. J Accid. Emergency Med. 2000; 17: 22-24
156. Handgelenk 2000 W. Durston, R. Swartzentruber Ultrasound guided reduction of pediatric forearm fractures in the ED Am J Emerg Med, 18 (2000), pp. 72-77
157. Handgelenk 2007 Chen L, Kim Y, Moore CL. Diagnosis and guidedreduction of forearm fractures in children usingbedside ultrasound. Pediatr Emerg Care 2007;23:528, 3
158. Handgelenk 2007 L. Chen, Y. Kim, C.L. Moore Diagnosis and guided reduction of forearm fractures in children using bedside ultrasound Pediatr Emerg Care, 23 (2007), pp. 528-531
159. Handgelenk 2007 Chen, L., Kim, Y., & Moore, C. L. (2007). Diagnosis and guided reduction of forearm fractures in children using bedside ultrasound. Pediatric emergency care, 23(8), 528-531
160. Handgelenk 2008 C.E. Wong, A.S. Ang, K.C. Ng Ultrasound as an aid for reduction of paediatric forearm fractures Int J Emerg Med, 1 (2008), pp. 267-271
161. Handgelenk 2008 Welling RD, Jacobson JA, Jamadar DA, Chong S, Caoili EM, Jebson PJ (2008) MDCT and radiography of wrist fractures: radiographic sensitivity and fracture patterns. Am J Roentgenol 190(1):10
162. Handgelenk 2008 AL-Allaf H, Al-Dubouni F. Ultrasound imaging of undisplaced partial forearm fractures in children. Annals of the College of Medicine, Mosul. 2008;34(1):9-15. doi:10.33899/mmed.2008.8946
163. Handgelenk 2008 Al-Dubouni, F. A., & AL-Allaf, H. K. (2008). Ultrasound imaging of undisplaced partial forearm fractures in children. Annals of the College of Medicine Mosul, 34(1), 9-15
164. Handgelenk 2008 Wong, C. E. Y., Ang, A. S. Y., & Ng, K. C. (2008). Ultrasound as an aid for reduction of paediatric forearm fractures. International journal of emergency medicine, 1(4), 267-271.
165. Handgelenk 2009 D.D. Patel, S.M. Blumberg, E.F. Crain The utility of bedside ultrasonography in identifying fractures and guiding fracture reduction in children Pediatr Emerg Care, 25 (2009), pp. 221-225
166. Handgelenk 2009 May G, Grayson A. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. Bet 3: do buckle fractures of the paediatric wrist require follow up? Emerg Med J. 2009;26(11):819-822. doi:10.1136/emj.2009.082891
167. Handgelenk 2009 B. Chinnock, A. Khaletskiy, K. Kuo et al. Ultrasound-guided reduction of distal radius fractures J Emerg Med (2009) Epublished
168. Handgelenk 2009 Ackermann O, Emmanouilidis I, Rülander C (2009) Ist die Sonographie geeignet zur Primärdiagnostik kindlicher Vorderarmfrakturen ? Deutsche Zeitschrift für Sportmedizin 60:355-358
169. Handgelenk 2009 Ackermann O, Liedgens P, Eckert K, Chelangattucherry E, Husain B, Ruchholtz S (2009) Sonographische Diagnostik von metaphysären Wulstbrüchen. Der Unfallchirurg 112:706-711
170. Handgelenk 2009 Simanovsky, N., Lamdan, R., Hiller, N., & Simanovsky, N. (2009). Sonographic detection of radiographically occult fractures in pediatric ankle and wrist injuries. Journal of Pediatric Orthopaedics, 29(2), 142-145.
171. Handgelenk 2009 Simanovsky N, Lamdan R, Hiller N, Simanovsky N. Sonographic detection of radiographically occult fractures in pediatric ankle and wrist injuries. J Pediatr Orthop. 2009;29(2):142-145. doi:10.1097/BPO.0b013e318198452e

172. Handgelenk 2009 Gabby May and Alan Grayson THE USE OF ULTRASOUND IN THE DIAGNOSIS OF PAEDIATRIC WRIST FRACTURES 2009 26: 822-825 Emerg Med J
173. Handgelenk 2010 Ang, S. H., Lee, S. W., & Lam, K. Y. (2010). Ultrasound-guided reduction of distal radius fractures. The American journal of emergency medicine, 28(9), 1002-1008
174. Handgelenk 2010 Ackermann O, Liedgens P, Eckert K, Chelangattucherry E, Ruelander C, Emmanouilidis I, Ruchholtz S (2010) Ultrasound diagnosis of juvenile forearm fractures. Journal of Medical Ultrasonics 37:123-127
175. Handgelenk 2010 Pountos, I., Clegg, J., & Siddiqui, A. (2010). Diagnosis and treatment of greenstick and torus fractures of the distal radius in children: a prospective randomised single blind study. Journal of children's orthopaedics, 4(4), 321-326
176. Handgelenk 2011 Chaar-Alvarez FM, Warkentine F, Cross K, Herr S, Paul RI. Bedside ultrasound diagnosis of nonangulated distal forearm fractures in the pediatric emergency department. Pediatr Emerg Care. 2011;27(11):1027-1032. doi:10.1097/PEC.0b013e318235e228
177. Handgelenk 2011 Hennecke, B., Kluge, S., Kreutziger, J., Jenzer, A., & Vögelin, E. (2011). Sonografische und röntgenologische Quantifizierung der Palmarabkippung von subkapitalen Frakturen der Metakarpalia IV und V. Handchirurgie Mikrochirurgie Plastische Chirurgie, 43(01), 39-45.
178. Handgelenk 2011 Bentohami A, Walenkamp MM, Slaar A, Beerekamp MS et al(2011) Amsterdam wrist rules: a clinical decision aid. BMC Musculoskelet Disord 12(1):238
179. Handgelenk 2011 Chinnock, B., Khaletskiy, A., Kuo, K., & Hendey, G. W. (2011). Ultrasound-guided reduction of distal radius fractures. The Journal of emergency medicine, 40(3), 308-312.
180. Handgelenk 2012 Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2012) Die Sonographie als sichere Alternative zur konventionellen Röntgendiagnostik bei distalen Unterarmfrakturen im Kindesalter. Z Orthop Unfall 150:409-414
181. Handgelenk 2012 Eckert K, Ackermann O, Schweiger B, Radeloff E, Liedgens P (2012) Sonographic diagnosis of metaphyseal forearm fractures in children: A safe and applicable alternative to standard X-rays. Pediatr Emerg Care 28:851-854
182. Handgelenk 2013 Esmailian, M., Zargarbashi, E. H., Masoumi, B., & Karami, M. (2013). Accuracy of ultrasonography in confirmation of adequate reduction of distal radius fractures. Emergency, 1(1), 7.
183. Handgelenk 2013 Esmailian M, Haj Zargarbashi E, Masoumi B, Karami M. Accuracy of Ultrasonography in Confirmation of Adequate Reduction of Distal Radius Fractures. Emerg (Tehran). 2013;1(1):7-10.
184. Handgelenk 2013 Pai D.R. Thapa M. Musculoskeletal ultrasound of the upper extremity in children. Pediatr Radiol. 2013; 43: S48-S54
185. Handgelenk 2014 Kodama, N., Takemura, Y., Ueba, H., Imai, S., & Matsusue, Y. (2014). Ultrasound-assisted closed reduction of distal radius fractures. The Journal of hand surgery, 39(7), 1287-1294
186. Handgelenk 2014 Javadzadeh HR, Davoudi A, Davoudi F, Ghane MR, Khajepoor H, Goodarzi H,et al. Diagnostic value of bedside ultrasonography and the water bathtechnique in distal forearm, wrist, and hand bone fractures. Emerg Radiol.2014;21(1):1 4.
187. Handgelenk 2014 Kodama N, Takemura Y, Ueba H, Imai S, Matsusue Y. Ultrasound-assisted closed reduction of distal radius fractures. J Hand Surg 2014; 39(7):1287 1294

188. Handgelenk 2014 Rezashah SH, Ebrahimi M, Ahmadi K, Afzal-Aghaie M, Ajvadi A. Diagnostic accuracy of portable ultrasonography in confirmation of adequate reduction of distal radius fracture. Int J Med Toxicol ForensicMed 2014; 4(3):98 103
189. Handgelenk 2014 Eckert K, Ackermann O (2014) Fraktursonographie im Kindesalter. Der Unfallchirurg 117:355-368
190. Handgelenk 2015 Shah, N. S., Buzas, D., & Zinberg, E. M. (2015). Epidemiologic dynamics contributing to pediatric wrist fractures in the United States. Hand, 10(2), 266-271.
191. Handgelenk 2015 Dubrovsky AS, Kempinska A, Bank I, Mok E. Accuracy of ultrasonography fordetermining successful realignment of pediatric forearm fractures. Ann Emerg Med. 2015;65:260e265. http://dx.doi.org/10.1016/j.annemergmed.2014.08.043.
192. Handgelenk 2015 Ackermann O, Eckert K (2015) Sonographic fracture diagnosis of the wrist - is the wrist SAFE algorithm feasible for the clinic? Eur J Trauma Emerg Surg 41:446
193. Handgelenk 2015 Sobottke R, Ringe MJ, et al. Ultrasound-guided diagnosis of fractures of the distal forearm in children. Orthop Traumatol Surg Res [Internet]. 2015;101(4):501
194. Handgelenk 2015 Herren C, Sobottke R, Ringe MJ, et al. Ultrasound-guided diagnosis of fractures of the distal forearm in children. Orthop Traumatol Surg Res. 2015;101(4):501-505. doi:10.1016/j.otsr.2015.02.010
195. Handgelenk 2015 Herren, C., Sobottke, R., Ringe, M. J., Visel, D., Graf, M., Müller, D., & Siewe, J. (2015). Ultrasound-guided diagnosis of fractures of the distal forearm in children. Orthopaedics & Traumatology: Surgery & Research, 101(4), 501-505.
196. Handgelenk 2015 Tandogan M. Katirci Y. Sonmez F.T. et al.X-ray and ultrasonography in forearm trauma.Hong Kong J Emerg Med. 2015; 22: 352-358
197. Handgelenk 2015 Kozaci, N., Ay, M. O., Akcimen, M., Turhan, G., Sasmaz, I., Turhan, S., & Celik, A. (2015). Evaluation of the effectiveness of bedside point-of-care ultrasound in the diagnosis and management of distal radius fractures. The American journal of emergency medicine, 33(1), 67-71.
198. Handgelenk 2015 Balci, A., Basara, I., ekdemir, E. Y., Tetik, F., Aktas, G., Acarer, A., & Özaksoy, D. (2015). Wrist fractures: sensitivity of radiography, prevalence, and patterns in MDCT. Emergency Radiology, 22(3), 251-256.
199. Handgelenk 2016 Slaar, A., Walenkamp, M. M., Bentohami, A., Maas, M., van Rijn, R. R., Steyerberg, E. W., ... & Goslings, J. C. (2016). A clinical decision rule for the use of plain radiography in children after acute wrist injury: development and external validation of the Amsterdam Pediatric Wrist Rules. Pediatric radiology, 46(1), 50-60.
200. Handgelenk 2016 Sabzghabaei, A., Shojaee, M., Dolatabadi, A. A., Manouchehrifar, M., & Asadi, M. (2016). Ultrasound-Guided reduction of distal radius fractures. Emergency, 4(3), 132.
201. Handgelenk 2016 Ackermann O (2016) Fraktursonographie am Handgelenk. in: Gaulrapp H, Binder C: Aufbaukurs Sonografie der Bewegungsorgane. Elsevier, München
202. Handgelenk 2016 Katzer C, Wasem J, Eckert K, Ackermann O, Buchberger B (2016) Ultrasound in the diagnostics of metaphyseal forearm fractures in children - a systematic review and cost calculation. Pediatric Emergency Care 32:401-407
203. Handgelenk 2016 Sivrikaya S, Aksay E, Bayram B, Oray NC, Karakasli A, Altintas E. Emergency physicians performed Point-of-Care-Ultrasonography for detecting distal forearm fracture. Turk J Emerg Med. 2016;16(3):98-101. doi:10.1016/j.tjem.2016.04.002
204. Handgelenk 2016 Douma-den Hamer D, Blanker MH, Edens MA, Buijteweg LN, Boomsma MF, van Helden SH, Mauritz G-J (2016) Ultrasound for distal forearm fracture: a systematic

review and diagnostic meta-analysis. PLoS ONE 11(5):e0155659. doi:10.1371/journal.pone.0155659

205. Handgelenk 2016 Ackermann O, Eckert K (2016) Wrist SAFE - a phase IV study in fracture sonography. European Journal of Trauma an Emergency Surgery 68:
206. Handgelenk 2016 Slaar A, Walenkamp MM, Bentohami A, Maas M, van Rijn RR, Steyerberg EW, et al. A clinical decision rule for the use of plain radiography in children after acute wrist injury: development and externalUltrasound in Distal Forearm Fracture LOS ONE | DOI:10.1371/journal.pone.0155659 May 19, 2016 15 / 16validation of the Amsterdam Pediatric Wrist Rules. Pediatr Radiol 2016 Jan; 46(1):5060. doi: 10.1007/s00247-015-3436-3 PMID: 26298555
207. Handgelenk 2016 Sivrikaya, S., Aksay, E., Bayram, B., Oray, N. C., Karakasli, A., & Altintas, E. (2016). Emergency physicians performed point-of-care-ultrasonography for detecting distal forearm fracture. Turkish journal of emergency medicine, 16(3), 98-101.
208. Handgelenk 2017 Lau BC, Robertson A, Motamedi D, Lee N. The Validity and Reliability of a Pocket-Sized Ultrasound to Diagnose Distal Radius Fracture and Assess Quality of Closed Reduction. J Hand Surg Am. 2017;42(6):420-427. doi:10.1016/j.jhsa.2017.03.012
209. Handgelenk 2017 Wang, C. C., Linden, K. L., & Otero, H. J. (2017). Sonographic evaluation of fractures in children. Journal of Diagnostic Medical Sonography, 33(3), 200-207
210. Handgelenk 2017 Schmidt, G. L., Lippmann, S., Unverzagt, S., Hofmann, C., Deutsch, T., & Frese, T. (2017). Diagnostik bei Frakturverdacht Ultraschall im Vergleich zu konventioneller Bildgebung. Systematisches Review und Metaanalyse. Dtsch Ärzteblatt, 114(45), 757-764
211. Handgelenk 2017 Hedelin, H., Tingström, C., Hebelka, H., & Karlsson, J. (2017). Minimal training sufficient to diagnose pediatric wrist fractures with ultrasound. Critical Ultrasound Journal, 9(1), 1-8
212. Handgelenk 2017 Chartier, L. B., Bosco, L., Lapointe-Shaw, L., & Chenkin, J. (2017). Use of point-of-care ultrasound in long bone fractures: a systematic review and meta-analysis. Canadian Journal of Emergency Medicine, 19(2), 131-142.
213. Handgelenk 2017 Ko C. Baird M. Close M. Cassas K.J. The diagnostic accuracy of ultrasound in detecting distal radius fractures in a pediatric population. Clin J Sport Med. 2017; 29: 426-429
214. Handgelenk 2017 Rowlands, R., Rippey, J., Tie, S., & Flynn, J. (2017). Bedside ultrasound vs X-ray for the diagnosis of forearm fractures in children. The Journal of emergency medicine, 52(2), 208-215.
215. Handgelenk 2017 Friend, A. J., & Roland, D. (2017). Distal forearm fractures can be reliably diagnosed using ultrasound. Archives of Disease in Childhood-Education and Practice, 102(5), 275-275
216. Handgelenk 2017 Poonai, N., Myslik, F., Joubert, G., Fan, J., Misir, A., Istasy, V., ... & Dubrovsky, A. S. (2017). Point-of-care Ultrasound for Nonangulated Distal Forearm Fractures in Children: Test Performance Characteristics and Patient-centered Outcomes. Academic Emergency Medicine, 24(5), 607-616.
217. Handgelenk 2017 Tandogan M, Katirci Y, Sonmez FT, et al. X-Ray and Ultrasonography in Forearm Trauma: Hong Kong Journal of Emergency Medicine. Published online December 11, 2017. doi:10.1177/102490791502200603
218. Handgelenk 2017 Friend AJ, Roland D. Distal forearm fractures can be reliably diagnosed using ultrasound. Arch Dis Child Educ Pract Ed 2017;102:275

219. Handgelenk 2017 Hedelin H, Tingström C, Hebelka H, Karlsson J. Minimal training sufficient to diagnose pediatric wrist fractures with ultrasound. Crit Ultrasound J. 2017;9(1):11. doi:10.1186/s13089-017-0066-z
220. Handgelenk 2017 Varga M, G ti N, Kal z E, et al. [Ultrasonographic diagnosis of distal pediatric forearm fractures]. Orv Hetil. 2017;158(24):944-948. doi:10.1556/650.2017.30763
221. Handgelenk 2017 Rowlands R, Rippey J, Tie S, et al. Bedside Ultrasound vs X-Ray for the Diagnosis of Forearm Fractures in Children. J Emerg Med [Internet]. 2017;52(2):208
222. Handgelenk 2017 Varga, M., G ti, N., Kal z, E., B r , Z., Szever nyi, C., Kardos, D., & J zsa, G. (2017). Ultrasonographic diagnosis of distal pediatric forearm fractures. Orvosi hetilap, 158(24), 944-948.
223. Handgelenk 2018 Pietsch, E. (2018). The Significance of Ultrasound in Juvenile Distal Forearm Fractures. EC Orthopaedics, 9, 762-768.
224. Handgelenk 2018 Ahmed, A. S., Abdelhady, A. E., & McNicholl, B. (2018). Ultrasound as a Diagnostic Tool in Pediatric Distal Forearm Fractures. https://www.lenus.ie/bitstream/handle/10147/623971/art3.html?sequence=1
225. Handgelenk 2018 Ahmed AS, Abdelhady AE, McNicholl B. Ultrasound as a Diagnostic Tool in Paediatric Distal Forearm Fractures. Ir Med J. 2018;111(10):836.
226. Handgelenk 2018 Pietsch E. The Significance of Ultrasound in Juvenile Distal Forearm Fractures. EC Orthopaedics. 2018;9:762-768
227. Handgelenk 2018 Ketelaars, R., Reijnders, G., van Geffen, G. J., Scheffer, G. J., & Hoogerwerf, N. (2018). ABCDE of prehospital ultrasonography: a narrative review. Critical ultrasound journal, 10(1), 17.
228. Handgelenk 2019 Epema, A. C., Spanjer, M. J., Ras, L., Kelder, J. C., & Sanders, M. (2019). Point-of-care ultrasound compared with conventional radiographic evaluation in children with suspected distal forearm fractures in the Netherlands: a diagnostic accuracy study. Emergency Medicine Journal, 36(10), 613-616.
229. Handgelenk 2019 Epema AC, Spanjer MJB, Ras L, Kelder JC, Sanders M. Point-of-care ultrasound compared with conventional radiographic evaluation in children with suspected distal forearm fractures in the Netherlands: a diagnostic accuracy study. Emerg Med J. 2019;36(10):613-616. doi:10.1136/emermed-2018-208380
230. Handgelenk 2019 Ackermann O, Wojciechowski P, Dzierzega M, Grosser K, Schmitz-Franken A, Rudolf H, Eckert K (2019) Sokrat II - An International, Prospective, Multicenter, Phase IV Diagnostic Trial to Evaluate the Efficacy of the Wrist SAFE Algorithm in Fracture Sonography of Distal Forearm Fractures in Children. Ultraschall Med 40:349-358
231. Handgelenk 2019 Auten, J. D., Naheedy, J. H., Hurst, N. D., Pennock, A. T., Hollenbach, K. A., & Kanegaye, J. T. (2019). Comparison of pediatric post-reduction fluoroscopic-and ultrasound forearm fracture images. The American journal of emergency medicine, 37(5), 832-838.
232. Handgelenk 2019 Galletebeitia Laka I. Samson F. Gorostiza I. Gonzalez A. Gonzalez C. The utility of clinical ultrasonography in identifying distal forearm fractures in the pediatric emergency department.Eur J Emerg Med. 2019; 26: 118-122
233. Handgelenk 2020 Tsou, P. Y., Ma, Y. K., Wang, Y. H., Gillon, J. T., Rafael, J., & Deanehan, J. K. (2020). Diagnostic accuracy of ultrasound for upper extremity fractures in children: A systematic review and meta-analysis. The American Journal of Emergency Medicine
234. Handgelenk 2020 Hauenstein, C., Stuhldreier, G., Mittlmeier, T. et al. Frakturklassifikation Teil 1. Radiologe 60, 487 497 (2020). https://doi.org/10.1007/s00117-020-00697-z

235. Handgelenk 2020 Snelling PJ, Jones P, Keijzers G, et al. Nurse practitioner administered point- of- care ultrasound compared with X- ray for children with clinically non- angulated distal forearm fractures in the ED: a diagnostic study Emerg Med J doi:10.1136/emermed-2020-209689
236. Handgelenk 2021 Fu Y, Li C, Luo W, Chen Z, Liu Z, Ding Y. Fragility fracture discriminative ability of radius quantitative ultrasound: a systematic review and meta-analysis. Osteoporos Int. 2021;32(1):23-38. doi:10.1007/s00198-020-05559-x
237. Hüfte 2020 Akimoto T, Kobayashi T, Maita H, Osawa H, Kato H. Initial assessment of femoral proximal fracture and acute hip arthritis using pocket-sized ultrasound: a prospective observational study in a primary care setting in Japan. BMC Musculoskeletal Disorders. 2020;21(1):291. doi:10.1186/s12891-020-03326-x
238. Kahnbein 1982 Bedford AF Glasgow MM Wilson N.Ultrasonic assessment of fractures and its use in the diagnosis of the suspected scaphoid fracture. Injury. 1982 Sep 14(2):180-2
239. Kahnbein 1987 Schenouauda NA. England JP. Ultrasound diagnosis of scaphoid fracture J. Hand Surgery 1987; 12(1): 43-45
240. Kahnbein 1987 Shenouda NA England JP.Ultrasound in the iagnosis of scaphoid fractures. J Hand Surg Br. 1987 Feb 12(1):43-5.
241. Kahnbein 1988 DaCruz DJ Taylor RH Savage B Bodiwala GG.Ultrasound assessment of the suspected scaphoid fracture. Arch Emerg Med. 1988 Jun 5(2):97-100.
242. Kahnbein 1991 Christiansen TG, Rude C, Lauridsen KK, Christensen OM. Diagnostic value ofultrasound in scaphoid fractures. Injury. 1991;22(5):397 9.
243. Kahnbein 1993 "Hodgkinson DW Nicholson DA Stewart G Sheridan M Hughes P.Scaphoid fracture: a new method of assessment. Clin Radiol. 1993 Dec"
244. Kahnbein 1998 Decruz Dj, Taylor RH, Savage B. Ultrasound assessment of suspected scaphoid fracture. Arch. Emerg. Med. 1998; 5: 97-100
245. Kahnbein 2000 Munk B, Bolvig L, Kroner K, Christiansen T, Borris L, Boe S. Ultrasound fordiagnosis of scaphoid fractures. J Hand Surg Eur Vol. 2000;25(4):369 71.
246. Kahnbein 2001 Herneth AM, Siegmeth A, Bader TR, et al.: Scaphoid fractures: evaluation with high-spatial-resolution US initial results. Radiology 2001; 220: 231
247. Kahnbein 2001 Herneth, A. M., Siegmeth, A., Bader, T. R., Ba-Ssalamah, A., Lechner, G., Metz, V. M., & Grabenwoeger, F. (2001). Scaphoid fractures: evaluation with high-spatial-resolution US initial results. Radiology, 220(1), 231-235
248. Kahnbein 2002 Oliver H, Bonneyfoy O, Moivard M. Occult fractures of the waist of the scaphoid. AJR 2002; 178: 1239-1245
249. Kahnbein 2002 Hauger O, Bonnefoy O, Moinard M, Bersani D, Diard Fo. Occult Fractures of the Waist of the Scaphoid .American Journal of Roentgenology. 2002;178(5):1239-45
250. Kahnbein 2004 Senall JA, Failla JM, Bouffard JA, et al. Ultrasound for the early diagnosis ofclinically suspected scaphoid fracture. J Hand Surg Am. 2004;29:400e405.
251. Kahnbein 2005 Fusetti C, Poletti PA, Pradel PH, Garavaglia G, Platon A, Della Santa DR, et al.Diagnosis of occult scaphoid fracture with high-spatial-resolutionsonography: a prospective blind study. J Trauma. 2005;59(3):677 81.
252. Kahnbein 2005 Fusetti C, Poletti PA, Pradel PH, Garavaglia G, Platon A, Della Santa DR, et al.Diagnosis of occult scaphoid fracture with high-spatial-resolutionsonography: a prospective blind study. J Trauma. 2005;59(3):677 81.

253. Kahnbein 2010 Baldry J. Towards evidence-based emergency medicine: best BETs from theManchester Royal Infirmary. BET 3. Can ultrasound diagnose scaphoidfractures? Emerg Med J. 2010;27(11):876 7.
254. Kahnbein 2011 Platon A, Poletti PA, van Aaken J, et al. Occult fractures of the scaphoid: the roleof ultrasonography in the emergency department. Skeletal Radiol. 2011;40:869e875. https://doi.org/10.1007/s00256-010-1086-y
255. Kahnbein 2013 Yildirim A, Unlüer EE, Vandenberk N, et al. The role of bedside ultrasonography for occult scaphoid fractures in the emergency department. Ulus Travma Acil Cerrahi Derg. 2013;19:241e245
256. Kahnbein 2014 Carpenter CR, Pines JM, Schuur JD, Muir M, Calfee RP, Raja AS. Adult scaphoid fracture. Acad Emerg Med. 2014;21(2):101-121. doi:10.1111/acem.12317
257. Kahnbein 2018 Ravikant Jain, Nikhil Jain, Tanveer Sheikh, Charanjeet Yadav; Early scaphoid fractures are better diagnosed with ultrasonography than X-rays: A prospective study over 114 patients,Chinese Journal of Traumatology, Volume 21, Issue 4, 2018, Pages 206-210
258. Kahnbein 2018 Kwee RM, Kwee TC. Ultrasound for diagnosing radiographically occult scaphoid fracture. Skeletal Radiol. 2018;47(9):1205-1212. doi:10.1007/s00256-018-2931-7
259. Kahnbein 2018 Jain R, Jain N, Sheikh T, Yadav C. Early scaphoid fractures are better diagnosed with ultrasonography than X-rays: A prospective study over 114 patients. Chin J Traumatol. 2018;21(4):206-210. doi:10.1016/j.cjtee.2017.09.004
260. Kahnbein 2018 Jain, R., Jain, N., Sheikh, T., & Yadav, C. (2018). Early scaphoid fractures are better diagnosed with ultrasonography than X-rays: A prospective study over 114 patients. Chinese Journal of Traumatology, 21(4), 206-210
261. Kahnbein 2020 Bäcker HC, Wu CH, Strauch RJ. Systematic Review of Diagnosis of Clinically Suspected Scaphoid Fractures. J Wrist Surg. 2020;9(1):81-89. doi:10.1055/s-0039-1693147
262. Kallus 1990 Young JW, Kostrubiak IS, Resnik CS, Paley D. Sonographic evaluation of bone production at the distraction site in Ilizarov limb-lengthening procedures. AJR Am J Roentgenol 1990;154:125-128
263. Kallus 1992 Derbyshire NDJ, Simpson AHRW. A role for ultrasound in limb lengthening. Br J Radiol 1992;65:576-580
264. Kallus 1993 Malde HM, Hemmadi SS, Chadda D, et al. The role of skeletal sonography in limb lengthening procedures. J Postgrad Med 1993;39:127-129
265. Kallus 1993 Eyres KS, Bell MJ, Kanis JA. Methods of assessing new bone formation during limb lengthening. Ultrasonography, dual energy X-ray absorptiometry and radiography compared. J Bone Joint Surg [Br] 1993;75-B:358-364
266. Kallus 1993 Ricciardi L, Perissinotto A, Dabala M. Mechanical monitoring of fracture healing using ultrasound imaging. Clin Orthop Relat Res 1993;293:71-76
267. Kallus 1995 Maffulli N, Thornton A. Ultrasonographic appearance of external callus in long-bone fractures. Injury1995 Jan; 26(1):5 12. PMID: 7868211
268. Kallus 1996 Bottinelli O, Callioda F, Campani RE (1996) Bone callus, possible assessment with color Doppler. Ultrasonographie: Normal bone healing process. Radiol Med 91: 527
269. Kallus 1998 Outzen S, Barthel M, Schlicht W,Toth S (1998)Stellenwert der Sonograhie zur Verlaufsbeurteilung bei kindlichen Frakturen und Kallusdistraktionen langer Röhrenknochen.Aktuel Traumatol 28: 146
270. Kallus 1998 Moed BR, Subramanian S, van Holsbeeck M, et al. Ultrasound for the early diagnosis of tibial fracture healing after static interlocked nailing without reaming: clinical results. J Orthop Trauma 1998;12:206-213

271. Kallus 1999 Craig JG, Jacobson JA, Moed BR. Ultrasound of fracture and bone healing. Radiol Clin North Am 1999;37:737-751
272. Kallus 2000 Caruso G, Lagalla R, Derchi L, Iovane A, Sanfilippo A. Monitoring of fracture calluses with color Doppler sonography. J Clin Ultrasound. 2000;28(1):20-27. doi:10.1002/(sici)1097-0096(200001)28:1<20::aid-jcu3>3.0.co;2-w
273. Kallus 2015 Wawrzyk M, Sokal J, Andrzejewska E, Przewratil P. The role of ultrasound imaging of callus formation in the treatment of long bone fractures in children. Pol J Radiol 2015;80:473-478.
274. Knienah 1999 N.A. Watson, G.M. Ferrier Diagnosis of femoral shaft fracture in pregnancy by ultrasound J Accid Emerg Med, 16 (1999), pp. 380-381
275. Knienah 2003 Atkinson P, Lennon R. Use of emergency department ultrasound in the diagnosis and early management of femoral fractures. Emerg Med J 2003;20:395
276. Knienah 2017 Bozorgia, M.S. Azarb, S.H. Montazera, S.F. Heidaria, A. Khalilianc, Accuracy of ultrasound for diagnosis of femur bone fractures in traumatic patients, J Clin Exp Orthop 03 (2017), https://doi.org/10.4172/2471-8416.100027.
277. Lunge 1989 Shokurov NN.[The potentials of one-dimensional ultrasonic diagnosis in severe injuries to the chest cavity]. Ortop Travmatol Protez. 1989 Sep (9):19-24.
278. MFK5 2005 Dudkiewicz I, Singh D, Blankstein A. Missed diagnosis fracture of theproximal fifth metatarsus - the role of ultrasound. Foot Ankle Surg. 2005;11(3):161 6.
279. MFK5 2009 Banal F, Gandjbakhch F, Foltz V, Goldcher A, Etchepare F, Rozenberg S, et al.Sensitivity and specificity of ultrasonography in early diagnosis of metatarsalbone stress fractures: a pilot study of 37 patients. J Rheumatol. 2009;36(8):1715 9.
280. MFK5 2009 Banal F, Gandjbakhch F, Foltz V, Goldcher A, Etchepare F, Rozenberg S, et al.Sensitivity and specificity of ultrasonography in early diagnosis of metatarsalbone stress fractures: a pilot study of 37 patients. J Rheumatol. 2009;36(8):1715 9.
281. MFK5 2010 Drakonaki EE, Garbi A (2010) Metatarsal stress fracture diagnosedwith high-resolution sonography. J Ultrasound Med 29(3):473
282. MFK5 2014 Yesilaras M, Aksay E, Atilla OD, Sever M, Kalenderer O. The accuracy ofbedside ultrasonography as a diagnostic tool for the fi fth metatarsal fractures. Am J Emerg Med. 2014;32:171e174. http://dx.doi.org/10.1016/j.ajem.2013.11.009
283. MFK5 2020 Crombach A, Azizi N, Lameijer H, El Moumni M, ter Maaten JC. Point-of-care bedside ultrasound examination for the exclusion of clinically significant ankle and fifth metatarsal bone fractures; a single blinded prospective diagnostic cohort study. J Foot Ankle Res. 2020;13(1):19. doi:10.1186/s13047-020-00387-y
284. Mittelhand 2007 O'Malley P, Tayal VS. Use of Emergency Musculoskeletal Sonography in Diagnosis of an Open Fracture of the Hand. Journal of Ultrasound in Medicine. 2007;26(5):679-82
285. Mittelhand 2007 Tayal VS, Antoniazzi J, Pariyadath M, Norton HJ. Prospective Use of Ultrasound Imaging to Detect Bony Hand Injuries in Adults. Journal of Ultrasound in Medicine. 2007;26(9):1143-8
286. Mittelhand 2007 Tayal, V. S., Antoniazzi, J., Pariyadath, M., & Norton, H. J. (2007). Prospective use of ultrasound imaging to detect bony hand injuries in adults. Journal of Ultrasound in Medicine, 26(9), 1143-1148.
287. Mittelhand 2011 Hennecke B, Kluge S, Kreutziger J, Jenzer A, Vögelin E. [Ultrasonic and radiographic quantification of palmar angulation in metacarpal IV and V neck fractures]. Handchir Mikrochir Plast Chir. 2011;43(1):39-45. doi:10.1055/s-0030-1267974

288. Mittelhand 2013 Aksay E, Yesilaras M, Kic TY, Tur FC, Sever M, Kaya A. Sensitivity and specificity of bedside ultrasonography in the diagnosis of fractures of the fifth metacarpal. Emerg Med J. 2015;32(3):221-225. doi:10.1136/emermed-2013-202971
289. Mittelhand 2014 Neri E, Barbi E, Rabach I, et al: Diagnostic accuracy of ultrasonography for hand bony fractures in paediatric patients. Arch Dis Child 2014;99 (12):1087
290. Mittelhand 2015 Kozaci N, Ay MO, Akcimen M, Sasmaz I, Turban G, Boz A. The effectivenessof bedside point-of-care ultrasonography in the diagnosis and managementof metacarpal fractures. Am J Emerg Med. 2015;33(10):1468 72.
291. Mittelhand 2015 Aksay, E., Yesilaras, M., Kilic, T. Y., Tur, F. C., Sever, M., & Kaya, A. (2015). Sensitivity and specificity of bedside ultrasonography in the diagnosis of fractures of the fifth metacarpal. Emergency Medicine Journal, 32(3), 221-225.
292. Mittelhand 2015 Kozaci, N., Ay, M. O., Akcimen, M., Sasmaz, I., Turhan, G., & Boz, A. (2015). The effectiveness of bedside point-of-care ultrasonography in the diagnosis and management of metacarpal fractures. The American Journal of Emergency Medicine, 33(10), 1468-1472
293. Mittelhand 2016 Kocaoglu S, Qzhasenekler A, Icme F ,Pamukcu Gunaydin G, Sener A, GokhanA. The role of ultrasonography in the diagnosis of metacarpal fractures. The American Journal of Emergency Medicine. 2016;34(9):1868-71
294. Mittelhand 2019 Nicholson, J. A., Tsang, S. T. J., MacGillivray, T. J., Perks, F., & Simpson, A. H. R. W. (2019). What is the role of ultrasound in fracture management? Diagnosis and therapeutic potential for fractures, delayed unions, and fracture-related infection. Bone & Joint Research, 8(7), 304-312.
295. Mittelhand 2019 Perks, F., & Simpson, A. H. R. W. (2019). What is the role of ultrasound in fracture management?. Bone, 2018(0215), r2.
296. Mittelhand 2019 Zhao W, Wang G, Chen B, et al. The value of ultrasound for detecting hand fractures: A meta-analysis. Medicine (Baltimore). 2019;98(44):e17823. doi:10.1097/MD.0000000000017823
297. Mittelhand 2019 Kahrizi, N., Rostami, M., & Aslani, M. (2019). Evaluation of the diagnostic value of clinical ultrasonography compared to radiography in the diagnosis of metacarpal fractures in the emergency department. Pajouhan Scientific Journal, 17(4), 33-40.
298. Mittelhand 2019 Hakimi Nia MB, Navkhasi S, Zamani Mehr N, Kahrizi N, Rostami M, Aslani M. Evaluation of Diagnostic Value of Clinical Ultrasonography Compared to Radiography in the Diagnosis of Metacarpal Fractures in the Emergency. Pajouhan Scientific Journal. 2019;17(4):32-38. doi:10.29252/psj.17.4.32
299. Mittelhand 2020 Krastman P, Mathijssen NM, Bierma-Zeinstra SMA, Kraan G, Runhaar J. Diagnostic accuracy of history taking, physical examination and imaging for phalangeal, metacarpal and carpal fractures: a systematic review update. BMC Musculoskelet Disord. 2020;21(1):12. doi:10.1186/s12891-019-2988-z
300. Mittelhand 2020 Vossschulte, H., Thaumüller, C., & Barthlen, W. (2020). Notwendigkeit von radiologischen Untersuchungen bei Kindern. Der Unfallchirurg, 123(1), 80-86.
301. Nase 1992 Beck A, Maurer J, Mann W. Sonographische diagnose von nasenbeinfrakturen: otorhinolaryngologie. Verhandlungsbericht der Deutschen Gesellschaft für Hals-Nasen-Ohrenheilkunde, Kopf Hals-Chirurgie. Vol 249. Stuttgart:Thieme-Verlag; 1992:404-440.
302. Nase 1996 Danter J, Klinger M, Siegert R, Weeda H. Ultrasound imaging of nasal bone fractures with a 20-MHz ultrasound scanner [in German]. HNO 1996;44:324-328

303. Nase 1999 Moon JI, Kim YC, Kim YS, et al. Usefulness of ultrasonography in diagnosis and postreduction evaluation of nasal bone fractures. J Kor Radiol Soc 1999; 18:335-339
304. Nase 2005 Thiede O, Kromer JH, Rudack C, Stoll W, Osada N,Schmal F. Comparison of ultrasonography and conventional radiography in the diagnosis of nasal fractures. Arch Otolaryngol Head Neck Surg 2005;131:434 439
305. Nase 2007 Hong, H. S., Cha, J. G., Paik, S. H., Park, S. J., Park, J. S., Kim, D. H., & Lee, H. K. (2007). High-resolution sonography for nasal fracture in children. American Journal of Roentgenology, 188(1), W86-W92.
306. Nase 2007 Hong HS, Cha JG, Paik SH, et al. High-resolution sonography for nasal fracture in children. Am J Roentgenol 2007;188:W86-W92.
307. Nase 2008 Robert Giirkov, Eike Krause, Dirk Clevert. 2008. Sonography versus Plain x Rays in Diagnosis of Nasal Fractures. American Journal of Rhinology 22:6, 613
308. Nase 2008 Giirkov R, Krause E, Clevert D. Sonography versus plain X rays in diagnosis of nasal fractures. Am J Rhinol 2008;22:613-616.
309. Nase 2009 Chan-Hum Park, Ho-Hoon Joung, Jun-Ho Lee, Seok Min Hong. 2009. Usefulness of Ultrasonography in the Treatment of Nasal Bone Fractures. The Journal of Trauma: Injury, Infection, and Critical Care 67:6, 1323-1326.
310. Nase 2009 Lee MH, Cha JG, Hong HS, et al. Comparison of high-resolution ultrasonography and computed tomography in the diagnosis of nasal fractures. J Ultrasound Med 2009;28:717-723.
311. Nase 2009 Min Hee Lee, Jang Gyu Cha, Hyun Sook Hong, Jong Se Lee, Seong Jin Park, Sang Hyun Paik, Hae Kyung Lee. 2009. Comparison of High-Resolution Ultrasonography and Computed Tomography in the Diagnosis of Nasal Fractures. Journal of Ultrasound in Medicine 28:6, 717-723
312. Nase 2009 Mohammadi A, Javad RR, Pedram A, Masoudi S. Comparison of ultrasonography and conventional radiography in the diagnosis of nasal bone fractures. Iran J Radiol 2009;6:7-11.
313. Nase 2011 AL-Bahrany ZM, AL-Nakib LH. Comparison between high-resolution ultrasonography and conventional radiography in the diagnosis of nasal bone fractures. Tikrit J Dental Sci 2011;1:6-13.
314. Nase 2011 Mohammadi A, Ghasemi-Rad M: Nasal bone fracture ultrasonography or computed tomography? Med Ultrason 2011;13(4):292
315. Nase 2011 W.L. Adeyemo, O.A. Akadiri. 2011. A systematic review of the diagnostic role of ultrasonography in maxillofacial fractures.International Journal of Oral and Maxillofacial Surgery 40:7, 655-661
316. Nase 2013 Farhad Ardeshirpour, Keith M. Ladner, Carol G. Shores, William W. Shockley. 2013. A Preliminary Study of the Use of Ultrasound in Defining Nasal Fractures: Criteria for a Confident Diagnosis. Ear, Nose & Throat Journal 92:10-11, 508-512.
317. Nase 2014 Atighechi S, Baradaranfar MH, Karimi G, Dadgarnia MH, Mansoorian HR, Barkhordari N, et al. Diagnostic value of ultrasonography in the diagnosis of nasal fractures. J Craniofac Surg 2014;25(1):51 3.
318. Nase 2014 Tetsuji Yabe, Tomoyuki Tsuda, Shunsuke Hirose, Toshiyuki Ozawa, Katsuya Kawai. 2014. Comparison of ultrasonography assisted closed reduction with conventional closed reduction for the treatment of acute nasal fractures. Journal of Plastic,Reconstructive & Aesthetic Surgery 67:10, 1387-1392

319. Nase 2014 Saied Atighechi, Mohammad Hossein Baradaranfar, Ghasem Karimi, Mohammad Hossein Dadgarnia, Hamid Reza Mansoorian,Najmeh Barkhordari, Batool Sadat Sajadinejad, Nasim Behniafard. 2014. Diagnostic Value of Ultrasonography in the Diagnosisof Nasal Fractures. Journal of Craniofacial Surgery 25:1, e51-e53
320. Nase 2015 Dae-Hyun Kim, Kyung-Sik Kim. 2015. Usefulness of Ultrasonography-Assisted Closed Reduction for Nasal Fracture under Local Anesthesia. Archives of Craniofacial Surgery 16:3, 151.
321. Nase 2015 Shadman Nemati, Ali Babaei Jandaghi, Rahmatollah Banan, Mohammad Aghajanpour, Ehsan Kazemnezhad. 2015.Ultrasonography Findings in Nasal Bone Fracture; 6-Month Follow-up: Can We Estimate Time of Trauma?. European Archives of Oto-Rhino-Laryngology 272:4, 873-876.
322. Nase 2016 n Sook Lee, Jung-Hoon Lee, Chang-Ki Woo, Hak Jin Kim, Yu Li Sol, Jong Woon Song, Kyu-Sup Cho. 2016. Ultrasonography in the diagnosis of nasal bone fractures: a comparison with conventional radiography and computed tomography. European Archives of Oto-Rhino-Laryngology 273:2, 413-418.
323. Nase 2016 Lee IS, Lee J-H, Woo C-K, et al. Ultrasonography in the diagnosis of nasal bone fractures: a comparison with conventional radiography and computed tomography. Eur Arch Otorhinolaryngol 2016;273:413-418.
324. Nase 2017 Shigemura Y, Ueda K, Akamatsu J, Sugita N, Nuri T, Otsuki Y. Ultrasonographic images of nasal bone fractures with water used as the couplingmedium. Plast Reconstr Surg Glob Open 2017;5:e1350.
325. Nase 2017 Bahadir Caglar, Suha Serin, Serhat Akay, Gokhan Yilmaz, Alper Torun, Zehra Hilal Adibelli, Ismet Parlak. 2017. The accuracy of bedside USG in the diagnosis of nasal fractures. The American Journal of Emergency Medicine 35:11, 1653-1656.
326. Nase 2017 uka Shigemura, Koichi Ueda, Jun Akamatsu, Naoya Sugita, Takashi Nuri, Yuki Otsuki. 2017. Ultrasonographic Images of Nasal Bone Fractures with Water Used as the Coupling Medium. Plastic and Reconstructive Surgery - Global Open 5:5, e1350.
327. Nase 2017 Ikkei Tamada, Takaaki Mori, Nobuaki Inoue, Hirokazu Shido, Marie Aoki, Yukie Nakamura, Ruri Kamogawa. 2017. An Algorithmic Approach Using Ultrasonography in the Diagnosis of Pediatric Nasal Bone Fracture. Journal of Craniofacial Surgery 28:1, 84-87.
328. Nase 2017 Dogan, S., Kalafat, U. M., Yüksel, B., Karaboga, T., Basturk, M., & Ocak, T. (2017). Use of radiography and ultrasonography for nasal fracture identification in children under 18 years of age presenting to the ED. The American journal of emergency medicine, 35(3), 465-468.
329. Nase 2017 Dogan S, Kalafat UM, Yüksel B, Karabo ga T, Basturk M, Ocak T. Use of radiography and ultrasonography for nasal fracture identification in children under 18 years of age presenting to the ED. Am J Emerg Med 2017;35:465-468.
330. Nase 2017 Caglar B, Serin S, Akay S, et al. The accuracy of bedside USG in the diagnosis of nasal fractures. Am J Emerg Med 2017;35:1653-1656.
331. Nase 2018 Hwang K, Jung JS, Kim H. Diagnostic performance of plain film, ultrasonography, and computed tomography in nasal bone fractures: a systematic review. Plast Surg 2018;26:286-292.
332. Nase 2019 Ragavan Navaratnam, Tessa Davis. 2019. The Role of Ultrasound in the Diagnosis of Pediatric Nasal Fractures. Journal of Craniofacial Surgery 30:7, 2099-2101.
333. Nase 2019 Navaratnam R, Davis T. The role of ultrasound in the diagnosis of pediatric nasal fractures. J Craniofac Surg 2019;30:2099-2101

334. Nase 2019 Ahmadi MS, Gol Mohammadi H, Seif Rabiei MA, Akbarpour M. Comparative evaluation of ultrasound against conventional radiography in+patients with nasal bone fractures. J Kerman Univ Med Sci 2019;26:+200-206.
335. Nase 2021 2021 Gökcen et al.: Ultrasonography of Nasal Fractures. Laryngoscope 00: 2020
336. OSG 1990 Singh AK Malpass TS Walker G.Ultrasonic assessment of injuries to the lateral complex of the ankle. Arch Emerg Med. 1990 Jun 7(2):90-4.
337. OSG 1996 Gleeson AP, Stuart MJ, Wilson B, Phillips B (1996) Ultrasound assessment and conservative management of inversion injuries of the ankle in children: plaster of Paris versus Tubigrip. J Bone Joint Surg Br 78:484 48
338. OSG 1998 Hunter JD, Mann CJ, Hughes PM (1998) Fibular fracture: detection with high resolution diagnostic ultrasound. J Accid Emerg Med 15(2):118
339. OSG 1998 J.D. Hunter, C.J. Mann, P.M. Hughes Fibular fracture: detection with high resolution diagnostic ultrasound J Accid Emerg Med, 15 (1998), p. 118
340. OSG 1999 Wang CL, Shieh JY, Wang TG, Hsieh FJ (1999) Sonographic detection of occult fractures in the foot and ankle. J Clin Ultrasound 27(8):421
341. OSG 2004 Trinh E, McMillan D, Gough J, Brewer K. Emergencydepartment use of ultrasonography to detect lateral anklefractures [abstract]. Ann Emerg Med 2004; 44(suppl):S61.
342. OSG 2005 Simanovsky N, Hiller N, Leibner E, Simanovsky N: Sonographic detection of radiographically occult frac-tures in paediatric ankle injuries. Pediatr Radiol 2005;35(11):1062
343. OSG 2011 Canagasabey MD, Callaghan MJ, Carley S: The sonographic Ottawa Foot and Ankle Rules study (the SOFAR study). Emerg Med J 2011; 28: 838
344. OSG 2012 Taggart I, Voskoboynik N, Shah S, Liebmann O (2012) ED point-of-care ultrasound in the diagnosis of ankle fractures in children. Am J Emerg Med 30(7):1321
345. OSG 2013 Ekinci S, Polat O, Günalp M, Demirkan A, Koca A: The accuracy of ultrasound evaluation in foot and ankle trauma. Am J Emerg Med 2013;31(11):1551
346. OSG 2014 Atilla OD, Yesilaras M, Kilic TY, et al.: The accuracy of bedside ultrasonography as a diagnostic tool for fractures in the ankle and foot. Acad Emerg Med 2014; 21: 1058
347. OSG 2016 Tollefson B, Nichols J, Fromang S, Summers RL: Validation of the Sonographic Ottawa Foot and Ankle Rules (SOFAR) study in a large urban trauma center. J Miss State Med Assoc 2016; 57: 35
348. OSG 2016 Jonckheer P, Willems T, De Ridder R, et al. Evaluating fracture risk in acute ankle sprains: Any news since the Ottawa Ankle Rules? A systematic review. Eur J Gen Pract. 2016;22(1):31-41. doi:10.3109/13814788.2015.1102881
349. OSG 2018 Ozturk, P., Aksay, E., Oray, N. C., Bayram, B., Basci, O., & Tokgoz, D. (2018). Emergency physician accuracy using ultrasonography to diagnose lateral malleolar fracture. The American journal of emergency medicine, 36(3), 362-365.
350. OSG 2020 Allen GM, Wilson DJ, Bullock SA, Watson M. Extremity CT and ultrasound in the assessment of ankle injuries: occult fractures and ligament injuries. Br J Radiol. 2020;93(1105):20180989. doi:10.1259/bjr.20180989
351. OSG 2020 Massaeli M, Amirzadeh E, Shahabian M. Diagnostic Accuracy of Ultrasound Compared to Radiography among Patients with Ankle Fracture. Asian Journal of Medical Principles and Clinical Practice. Published online December 7, 2020:27-33. Accessed January 18, 2021. https://journalajmpcp.com/index.php/AJMPCP/article/view/30125

352. OSG 2020 Wu J, Wang Y, Wang Z. The diagnostic accuracy of ultrasound in the detection of foot and ankle fractures: a systematic review and meta-analysis. Medical Ultrasonography. 2020;0(0). doi:10.11152/mu-2659
353. Okkulte fraktur 1998 Lazar RD, Waters PM, Jaramillo D. The use of ultrasonography in the diagnosis of occult fracture of the radial neck. A case report. J Bone Joint Surg Am 1998;80:1361-1364
354. Okkulte fraktur 2010 Cho KH, Lee SM, Lee YH, Suh KJ. Ultrasound diagnosis of either an occult or missed fracture of anextremity in pediatric-aged children. Korean J Radiol 2010 Jan-Feb; 11(1):84 94. doi: 10.3348/kjr.2010.11.1.84 PMID: 2004649
355. Okkulte fraktur 2010 Cho K, Lee S, Lee Y, Suh K. Ultrasound diagnosis of either an occult or missed fracture of an extremity in pediatric-aged children. Korean journal of radiology. 2010;11(1). doi:10.3348/kjr.2010.11.1.84
356. Okkulte fraktur 2010 Weinberg, E. R., Tunik, M. G., & Tsung, J. W. (2010). Accuracy of clinician-performed point-of-care ultrasound for the diagnosis of fractures in children and young adults. Injury, 41(8), 862-868
357. Ostemyelitis 1994 Mah ET, LeQuesne GW, Gent RJ, Paterson DC. Ultrasonic features of acute osteomyelitis in children. J Bone Joint Surg Br 1994;76:969-97
358. Ostemyelitis 1995 Wright NB, Abbott GT, Carty HM. Ultrasound in children with osteomyelitis. Clin Radiol 1995;50:623-627
359. Osteosynthese 1996 Grechenig W, Clement HG, Fellinger M, Schleifer P, Tesch PN. [Ultrasound imaging and localization of metal implants. A clinical study]. Unfallchirurgie. 1996 Jun;22(3):117-23.
360. Osteosynthese 1996 Grechenig W, Passler J, Fellinger M, Clement HG. Sonographische Darstellung von Osteosynthesematerial in der Traumatologie - eine experimentelle Studie. Biomed Technik. 1996;41:64-8.
361. Osteosynthese 1996 Grechenig W, Clement HG, Fellinger M, Schleifer P,Tesch PN (1996) Sonographische Darstellung und Lokalisation von Metallimplantaten. Unfallchirurgie 22: 117-123
362. Osteosynthese 1999 Grechenig W, Peicha G, Clement HG, Preidler KW. Ultrasonographic localization of a displaced screw in the carpal canal. A case report. Acta Radiol. 1999 Nov;40(6):625-7.
363. Osteosynthese 2002 Gibbon WW, Long G, Barron DA, O'Connor PJ. Complications of orthopedic implants: sonographic evaluation. J Clin Ultrasound. 2002 Jun;30(5):288-99.
364. Osteosynthese 2005 Vaisto O, Toivanen J, Paakkala T, Jarvela T, Kannus P, Jarvinen M. Anterior knee pain after intramedullary nailing of a tibial shaft fracture: an ultrasound study of the patellar tendons of 36 patients. J Orthop Trauma. 2005 May-Jun;19(5):
365. Osteosynthese 2016 Kara A, Celik H, Bankaoglu M, Oc Y, Bulbul M, Sugun TS. Ultrasonic Evaluation of the Flexor Pollicis Longus Tendon Following Volar Plate Fixation for Distal Radius Fractures. J Hand Surg Am. 2016 Mar;41(3):374-80.
366. Osteosynthese 2017 Tokunaga S, Abe Y. Asymptomatic Flexor Tendon Damages after Volar Locking Plate Fixation of Distal Radius Fractures. J Hand Surg Asian Pac Vol. 2017 Mar;22(1):75-82.
367. Osteosynthese 2017 Gurbuz Y, Kucuk L, Gunay H, Ozaksar K, Sugun TS, Bilge O. Comparison of ultrasound and dorsal horizon radiographic view for the detection of dorsal screw penetration. Acta Orthop Traumatol Turc. 2017 Dec;51(6):448-50

368. Osteosynthese 2018 Kumar AH, Kim J, Sadeghi N, Leversedge FJ, Moorman CT, 3rd, Grant SA. The use of ultrasound imaging for brachial plexus injury assessment following operative clavicle repair. Can J Anaesth. 2018 Jun;65(6):739-41
369. Patella 2000 Dithefield A, Sampson MA, Taylor GA. Ultrasound diagnosis of sleeve fracture of patella. Clinical Radiol 2000; 55: 721-722
370. Rippen 1982 Tsurupa DI Deriabin AI.[Ultrasonic diagnosis of chest injuries]. Vestn Khir Im I I Grek. 1982 Mar 128(3):99-103
371. Rippen 1993 Battistelli JM, Anselem B. Echography in injuries of costal cartilages.J Radiol 1993;74:409-12
372. Rippen 1994 Mariacher-Gehler S, Michel BA: Sonography: a simple way to visualize rib fractures. Am J Roentgenol, 1994; 163: 1268
373. Rippen 1995 Wischhöfer E, Fenkl R, Blum R: Ultrasound detection of rib fractures for verifying fracture diagnosis. A pilot project. Unfallchirurg, 1995; 98: 296
374. Rippen 1997 Bitschnau R, Gehmacher O, Kopf A et al: Ultrasound diagnosis of rib and sternum fractures. Ultraschall Med, 1997; 18: 158-61
375. Rippen 1999 Metreweli C.Sonography compared with radiography in revealing acute rib fracture. AJR Am J Roentgenol. 1999 Dec
376. Rippen 1999 Griffith JF, Rainer TH, Ching AS et al: Sonography compared with radiography in revealing acute rib fracture. Am J Roentgenol, 1999; 173: 1603
377. Rippen 2001 Malghem J, Vande Berg B, Lecouvet F, Maldague B. Costal cartilage fractures as revealed on CT and sonography. AJR Am J Roentgenol 2001;176(2):429 32.
378. Rippen 2003 Kara M, Dikmen E, Erdal HH, Kettner NW. Disclosure of unnoticed rib fractureswith the use of ultrasonography in minor blunt chest trauma. Eur J Cardiothorac Surg. 2003;24:608e613.
379. Rippen 2004 Hurley ME, Keye GD, Hamilton S. Is ultrasound really helpful in the detection ofrib fractures? Injury. 2004;35:562e566
380. Rippen 2004 Rainer TH, Griffith JF, Lam E, Lam PK, Metreweli C. Comparison of thoracic ultrasound, clinical acumen, and radiography in patients with minor chest injury. J Trauma 2004;56:1211 3
381. Rippen 2005 Wüstner A, Gehmacher O, Hmmerle S, et al. Ultrasound diagnosis in bluntthoracic trauma. Ultraschall Med. 2005;26:285e290
382. Rippen 2009 Chan, S. S. W. (2009). Emergency bedside ultrasound for the diagnosis of rib fractures. The American journal of emergency medicine, 27(5), 617-620.
383. Rippen 2010 Turk F, Kurt AB, Saglam S. Evaluation by ultrasound of traumatic rib fracturesmissed by radiography. Emerg Radiol. 2010;17:473e477. http://dx.doi.org/10.1007/s10140-010-0892-9.
384. Rippen 2010 Turk, F., Kurt, A. B., & Saglam, S. (2010). Evaluation by ultrasound of traumatic rib fractures missed by radiography. Emergency radiology, 17(6), 473-477.
385. Rippen 2012 Lee, W. S., Kim, Y. H., Chee, H. K., & Lee, S. A. (2012). Ultrasonographic evaluation of costal cartilage fractures unnoticed by the conventional radiographic study and multidetector computed tomography. European Journal of Trauma and Emergency Surgery, 38(1), 37-42.
386. Rippen 2012 Lee WS, Kim YH, Chee HK, Lee SA. Ultrasonographic evaluation of costal cartilage fractures unnoticed by the conventional radiographic study andmultidetector computed tomography. Eur J Trauma Emerg Surg. 2012;38:37e42. http://dx.doi.org/10.1007/s00068-011-0117-2.

387. Rippen 2013 Uzun, Beksac, Kara, Kucukdurmaz, Kircali, Tetik. Ultrasonography as a better diagnostic efficiency in rib fracture. Journal of Experimental and Clinical Medicine. 2013;30:133. doi:10.5835/jecm.omu.30.02.009
388. Rippen 2013 Uzun M, Beksac B, Kara A, Kucukdurmaz F, Kircali BA, Tetik C: Ultrasonography as a better diagnostic efficiency in rib fracture. Journal of Experimental and Clinical Medicine (Turkey) 2013; 30: 133
389. Rippen 2014 Pishbin E, Foogardi M. Conventional radiography or ultra sound for rib fracturediagnosis: a literature review. Rev Clin Med. 2014;1:154e159
390. Rippen 2014 Mattox R, Reckelhoff KE, Welk AB, Kettner NW. Sonography of occult rib andcostal cartilage fractures: a case series. J Chiropr Med. 2014;13:139e143. http://dx.doi.org/10.1016/j.jcm.2014.06.008.
391. Rippen 2016 Hwang, E. G., & Lee, Y. (2016). Simple X-ray versus ultrasonography examination in blunt chest trauma: effective tools of accurate diagnosis and considerations for rib fractures. Journal of exercise rehabilitation, 12(6), 637.
392. Rippen 2016 Hwang EG, Lee Y. Simple X-ray versus ultrasonography examination in blunt chest trauma: effective tools of accurate diagnosis and considerations for rib fractures. J Exerc Rehabil. 2016;12(6):637-641. doi:10.12965/jer.1632840.420
393. Rippen 2016 Yousefifard M, Baikpour M, Ghelichkhani P, et al. Comparison of Ultrasonography and Radiography in Detection of Thoracic Bone Fractures; a Systematic Review and Meta-Analysis. Emerg (Tehran). 2016;4(2):55-64.
394. Rippen 2017 Chandra Bortolotto, Egisto Federici, Ferdinando Draghi, Stefano Bianchi. 2017. Sonographic diagnosis of a radiographically occultdisplaced fracture of a costal cartilage. Journal of Clinical Ultrasound45:9, 605-
395. Rippen 2017 Pishbin E, Ahmadi K, Foogardi M, Salehi M, Seilanian Toosi F, Rahimi-Movaghar V. Comparison of ultrasonography and radiography in diagnosis of rib fractures. Chin J Traumatol. 2017;20(4):226-228. doi:10.1016/j.cjtee.2016.04.010
396. Rippen 2017 Pishbin, E., Ahmadi, K., Foogardi, M., Salehi, M., Toosi, F. S., & Rahimi-Movaghar, V. (2017). Comparison of ultrasonography and radiography in diagnosis of rib fractures. Chinese Journal of Traumatology, 20(4), 226-228.
397. Rippen 2019 Kozaci N, Avc M, Ararat E, et al. Comparison of ultrasonography and computed tomography in the determination of traumatic thoracic injuries. The American Journal of Emergency Medicine. 2019;37(5):864-868. doi:10.1016/j.ajem.2018.08.002
398. Rippen 2019 Battle C, Hayward S, Eggert S, Evans PA. Comparison of the use of lung ultrasound and chest radiography in the diagnosis of rib fractures: a systematic review. Emerg Med J. 2019;36(3):185-190. doi:10.1136/emermed-2017-207416
399. Rippen/Sternum 2017 Smereczynski, A., Kolaczyk, K., & Bernatowicz, E. (2017). Chest wall underappreciated structure in sonography. Part II: Non-cancerous lesions. Journal of Ultrasonography, 17(71), 275.
400. Schulter 1991 Hammond I.Unsuspected humeral head fracture diagnosed by ultrasound. J Ultrasound Med. 1991 Aug 10(8):422
401. Schulter 1991 Jerosch J, Muller G. Sonographic findings in radiologically nondisplaced proximal humerus fractures. Ultraschall Med 1991;12:36-40
402. Schulter 1992 Patten RM Mack LA Wang KY Lingel J.Nondisplaced fractures of the greater tuberosity of the humerus: sonographic detection. Radiology. 1992 Jan 182(1):201-4.

403. Schulter 1992 Howard CB Shinwell E Nyska M Meller I.Ultrasound diagnosis of neonatal fracture separation of the upper humeral epiphysis. J Bone Joint Surg Br. 1992 May 74(3):471-2.
404. Schulter 1995 N.A. Fisher, B. Newman, J. Lloyd et al. Ultrasonographic evaluation of birth injury to the shoulder J Perinatol, 15 (1995), pp. 398-400
405. Schulter 2003 Pistor, G., & Graffstädt, H. (2003). Sonographische Beurteilung von supracondylären Humerusfrakturen. Ultraschall in der Medizin, 24(05), 331-339.
406. Schulter 2003 Pistor G, Graffstadt H: Sonographic diagnosis of supracondylar fractures of the humerus. Ultraschall Med 2003; 24: 331
407. Schulter 2007 Rutten MJCM, Jager GJ, de Waal Malefijt MC, Blickman JG. Double line sign: a helpful sonographic sign to detect occult fractures of the proximal humerus. Eur Radiol. 2007;17(3):762-767. doi:10.1007/s00330-006-0331-1
408. Schulter 2007 Rutten MJ, Jager GJ, de Waal Malefijt MC, Blickman JG: Double line sign: a helpful sonographic sign to detect occult fractures of the proximal humerus. Eur Radiol 2007;17(3):762
409. Schulter 2008 Zhang, J. D., & Hua, C. H. E. N. (2008). Ultrasonography for non-displaced and mini-displaced humeral lateral condyle fractures in children. Chinese Journal of Traumatology (English Edition), 11(5), 297-300.
410. Schulter 2010 Ackermann O, Sesia S, Berberich T, Liedgens P, Eckert K, Großer K, Roessler M, Rülander C, Vogel T (2010) Sonographische Diagnostik der subcapitalen Humerusfraktur im Wachstumsalter. Der Unfallchirurg 113:839-844
411. Schulter 2013 Ackermann O, Eckert K, Rülander C, Endres S, Schulze-Pellengahr C (2013) Ultraschallbasierte Therapiesteuerung bei subcapitalen Humerusfrakturen im Wachstumsalter. Z Orthop Unfall 151:48-51
412. Schulter 2013 Ackermann O, Levine M, Eckert K, Rülander C, Stanjek M, Schulze-Pellengahr C (2013) Unsicherheit bei der radiologischen Achsbestimmung proximaler Humerusfrakturen. Z Orthop Unfall 151:74-79
413. Schulter 2014 Ackermann O, Eckert K (2014) Sonographische Frakturdiagnostik im Kindesalter. in: Pädiatrische Ultraschalldiagnostik. Ecomed, Landsberg
414. Schulter 2015 Ackermann O, Eckert K (2015) Fracture Sonography. in: Dietrich CF: EFSUMB Course Book. EFSUMB
415. Schulter 2016 Ackermann O (2016) Kapitel 4.7.2 Fraktursonografie im Wachstumsalter. in: Breusch S, Clarius M, Mau H, Sabo D: Klinikleitfaden Orthopädie und Unfallchirurgie. Urban & Fischer Verlag/Elsevier GmbH, München, Jena
416. Schulter 2016 Ackermann O (2016) Fraktursonographie an der Schulter. in: Gaulrapp H, Binder C: Aufbaukurs Sonografie der Bewegungsorgane. Elsevier, München
417. Schulter 2016 Akyol C, Gungor F, Akyol AJ, et al. Point-of-care ultrasonography for the management of shoulder dislocation in ED. Am J Emerg Med. 2016;34(5):866-870. doi:10.1016/j.ajem.2016.02.006
418. Schulter 2017 Faruch Bilfeld M, Lap gue F, Chiavassa Gandois H, Bayol MA, Bonnevialle N, Sans N. Ultrasound of the coracoclavicular ligaments in the acute phase of an acromioclavicular disjonction: Comparison of radiographic, ultrasound and MRI findings. Eur Radiol. 2017;27(2):483-490. doi:10.1007/s00330-016-4413-4
419. Schulter 2019 Ackermann O (2019) Knochen- und Fraktursonografie im Wachstumsalter. in: Ultraschall Kurs. Deutscher Ärzte Verlag, Köln

420. Schulter 2020 Secko MA, Reardon L, Gottlieb M, et al. Musculoskeletal Ultrasonography to Diagnose Dislocated Shoulders: A Prospective Cohort. Ann Emerg Med. 2020;76(2):119-128. doi:10.1016/j.annemergmed.2020.01.008
421. Schulter 2020 Tat J, Tat J, Theodoropoulos J. Clinical applications of ultrasonography in the shoulder for the Orthopedic Surgeon: A systematic review. Orthop Traumatol Surg Res. 2020;106(6):1141-1151. doi:10.1016/j.otsr.2020.06.005
422. Schädel 1982 McRae SM Speed RA Sommerville AJ.Intrauterine fetal skull fracture diagnosed by ultrasound. Aust N Z J Obstet Gynaecol. 1982 Aug 22(3):159-60
423. Schädel 1984 Cremin BJ Lipinski KJ Sharp JA Peacock J.Ultrasonic detection of subdural collections. Pediatr Radiol. 1984 14(4):191-4.
424. Schädel 1989 Schwalbe J Hofmann V.[Ultrasonic studies of craniocerebral injuries in infants]. Z Kinderchir. 1989 Dec 44(6):330-5.
425. Schädel 1996 Steiner S, Riebel T, Nazarenko O, et al. Skull injury in childhood:comparison of ultrasonography with the conventional x-ray and CT.Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr 1996;165:353-8
426. Schädel 1999 "D carie JC Mercier C.The role of ultrasonography in imaging of paediatric head trauma. Childs Nerv Syst. 1999 Nov"
427. Schädel 2009 Johnson JN, McBride DF, Crandall S, Kang C. Ultrasound-confirmed frontal bone fracture. West J Emerg Med 2009;10:303
428. Schädel 2009 Trenchs V, Curcoy AI, Castillo M, et al. Minor head trauma and linear skull fracture in infants: cranial ultrasound or computed tomography? Eur J Emerg Med 2009;16:150 2.
429. Schädel 2011 Alzen, G., & Benz-Bohm, G. (2011). Radiation protection in pediatric radiology. Deutsches Ärzteblatt International, 108(24), 407.
430. Schädel 2011 Ramirez-Schrempp, D., Vinci, R. J., & Liteplo, A. S. (2011). Bedside ultrasound in the diagnosis of skull fractures in the pediatric emergency department. Pediatric emergency care, 27(4), 312-314.
431. Schädel 2011 Ramirez Schrempp D, Vinci RJ, Liteplo AS. Bedside ultrasound in the diagnosis of skull fractures in the pediatric emergency department. Pediatr Emerg Care 2011;27:312 4.
432. Schädel 2011 Alzen, G., & Benz-Bohm, G. (2011). Kinderradiologie Besonderheiten des Strahlenschutzes. N Engl J Med, 357(22), 2277-84.
433. Schädel 2012 Riera A, Chen L: Ultrasound evaluation of skull fractures in children. Pediatr Emerg Care 2012;28(5):420
434. Schädel 2013 Rabiner, J. E., Friedman, L. M., Khine, H., Avner, J. R., & Tsung, J. W. (2013). Accuracy of point-of-care ultrasound for diagnosis of skull fractures in children. Pediatrics, 131(6), e1757-e1764.
435. Schädel 2013 Parri N, Crosby BJ, Glass C, et al. Ability of emergency ultrasonography to detect pediatric skull fractures: a prospective, observational study. J Emerg Med. 2013;44(1):135-141. doi:10.1016/j.jemermed.2012.02.038
436. Schädel 2013 2013 ABILITY OF EMERGENCY ULTRASONOGRAPHY TO DETECT PEDIATRIC SKULL fractures.pdf
437. Schädel 2018 Parri N, Crosby BJ, Mills L, et al. Point-of-Care Ultrasound for the Diagnosis of Skull Fractures in Children Younger Than Two Years of Age. J Pediatr. 2018;196:230-236.e2. doi:10.1016/j.jpeds.2017.12.057

438. Schädel 2018 Allon R, Levy Y, Lavi I, Kramer A, Barzilai M, Wollstein R. How to Best Predict Fragility Fractures: An Update and Systematic Review. Isr Med Assoc J. 2018;20(12):773-779.
439. Schädel 2019 Masaeli M, Chahardoli M, Azizi S, et al. Point of Care Ultrasound in Detection of Brain Hemorrhage and Skull Fracture Following Pediatric Head Trauma; a Diagnostic Accuracy Study. Arch Acad Emerg Med. 2019;7(1):e53.
440. Schädel 2020 Gordon I, Sinert R, Chao J. The Utility of Ultrasound in Detecting Skull Fractures After Pediatric Blunt Head Trauma: Systematic Review and Meta-Analysis. Pediatr Emerg Care. Published online February 28, 2020. doi:10.1097/PEC.0000000000001958
441. Schädel 2020 Alexandridis G, Verschuuren EW, Rosendaal AV, Kanhai DA. Evidence base for point-of-care ultrasound (POCUS) for diagnosis of skull fractures in children: a systematic review and meta-analysis. Emerg Med J. Published online December 3, 2020. doi:10.1136/emermed-2020-209887
442. Schädel 2020 Choi J, Lim Y, Jang J. Bedside Ultrasound to Diagnose Skull Fractures in Young Children. AAP Grand Rounds. 2020;44(3):33-33. doi:10.1542/gr.44-3-33
443. Schädel 2021 Dehbozorgi A, Mousavi-Roknabadi RS, Hosseini-Marvast SR, et al. Diagnosing skull fracture in children with closed head injury using point-of-care ultrasound vs. computed tomography scan. Eur J Pediatr. 2021;180(2):477-484. doi:10.1007/s00431-020-03851-w
444. Sternum 1992 Fenkl R von Garrel T Knaepler H.[Emergency diagnosis of sternum fracture with ultrasound]. nfallchirurg. 1992 Aug 95(8):375-9."
445. Sternum 1992 Fenkl R, Garrel Th, Knaepler H. Notfalldiagnostik der Sternumfraktur mit Ultraschall. Unfallchirurg. 1992; 95 375
446. Sternum 1995 Hendrich, C., Finkewitz, U., & Berner, W. (1995). Diagnostic value of ultrasonography and conventional radiography for the assessment of sternal fractures. Injury, 26(9), 601-604.
447. Sternum 1995 Hendrich C, Finkewitz U, Berner W. Diagnostic value of ultrasonography and conventional radiography for the assessment of sternal fractures. Injury 1995;26:601-4.
448. Sternum 1997 Weber K, Mahlfeld A, Sekulla C, Otto W. The benefit of ultrasound in lesions of the pubic symphysis. Euro J Ultrasound 1997;6:111-6.
449. Sternum 2000 Engin G, Yekeler E, Guloglu R, Acunas B, Acunas G: US versus conventional radiography in the diagnosis of sternal fractures. Acta Radiol 2000; 41: 296
450. Sternum 2001 Mahlfeld A, Franke J, Mahlfeld K: [Ultrasound diagnosis of sternum fractures]. Zentralbl Chir 2001; 126: 62
451. Sternum 2001 Mahlfeld, A., Franke, J., & Mahlfeld, K. (2001). Ultrasound diagnosis of sternum fractures. Zentralblatt Fur Chirurgie, 126(1), 62-64.
452. Sternum 2001 Yeom SR, Kim JK, Lee G, et al. Diagnostic Value of Ultrasonography for the Assessment of Sternal Fractures. Journal of The Korean Society of Emergency Medicine. 2001;12(3):277-283. Accessed January 18, 2021. http://jksem.org/journal/view.php?number=1533
453. Sternum 2004 Burzynska-Makuch, M., Grzegorzewski, M., Lasek, W., & Meder, G. (2004). Ultrasonography in sternal fractures. Chirurgia narzadow ruchu i ortopedia polska, 69(1), 41.
454. Sternum 2006 Jin W, Yang DM, Kim HC, Ryu KN: Diagnostic values of sono -graphy for assessment of sternal fractures compared with conventional radiography and bone scans. Journal of Ultrasound in Medicine 2006; 25: 1263

455. Sternum 2006 Jin, W., Yang, D. M., Kim, H. C., & Ryu, K. N. (2006). Diagnostic values of sonography for assessment of sternal fractures compared with conventional radiography and bone scans. Journal of ultrasound in medicine, 25(10), 1263-1268.
456. Sternum 2010 You, J. S., Chung, Y. E., Kim, D., Park, S., & Chung, S. P. (2010). Role of sonography in the emergency room to diagnose sternal fractures. Journal of Clinical Ultrasound, 38(3), 135-137.
457. Sternum 2010 You JS, Chung YE, Kim D, Park S, Chung SP. Role of sonography in the emergency room to diagnose sternal fractures. Journal of Clinical Ultrasound. 2010;38(3):135-137. doi:https://doi.org/10.1002/jcu.20669
458. Sternum 2011 Nickson, C., & Rippey, J. (2011). Ultrasonography of sternal fractures. Australasian Journal of Ultrasound in Medicine, 14(4), 6-11.
459. Sternum 2015 Racine S, Drake D. BET 3: Bedside ultrasound for the diagnosis of sternal fracture. Emerg Med J. 2015;32(12):971-972. doi:10.1136/emermed-2015-204985.3
460. Sternum 2015 Racine, S., & Drake, D. (2015). BET 3: Bedside ultrasound for the diagnosis of sternal fracture. Emergency Medicine Journal, 32(12), 971-972.
461. Stressfraktur 1992 Howard CB, Lieberman N, Mozes G, Nyska M. Stress fracture detected sonographically. AJR Am J Roentgenol 1992;159:1350-1
462. Stressfraktur 2016 Wright AA, Hegedus EJ, Lenchik L, Kuhn KJ, Santiago L, Smoliga JM. Diagnostic Accuracy of Various Imaging Modalities for Suspected Lower Extremity Stress Fractures: A Systematic Review With Evidence-Based Recommendations for Clinical Practice. Am J Sports Med. 2016;44(1):255-263. doi:10.1177/0363546515574066
463. Tibia 1980 Nitz AJ Scoville CR.Use of ultrasound in early detection of stress fractures of the medial tibial plateau. Mil Med. 1980 Dec 145(12):844-6.
464. Tibia 2006 D. Lewis, P. Logan Sonographic diagnosis of toddler's fracture in the emergency department J Clin Ultrasound, 34 (2006), pp. 190-194
465. Tibia 2006 Lewis, D., Logan, P. Sonographic diagnosis of toddler's fracture in the emergency department. J Clin Ultrasound. 2006;34:190-194.
466. Tibia 2020 Pelayo, S. L., Fern ndez, J. R., Cabello, M. T. L., Lorenzo, M. R., Alfaro, M. D. G., & Jim nez, C. A. (2020). Current diagnosis and management of toddler's fracture. Anales de Pediatr a (English Edition), 92(5), 262-267
467. Tibia 2020 Llorente Pelayo S, Rodriguez Fernandez J, Leonardo Cabello MT, Rubio Lorenzo M, Garcia Alfaro MD, Arbona Jiminez C. Current diagnosis and management of toddler's fracture. Anales de Pediatr a (English Edition). 2020;92(5):262-267. doi:10.1016/j.anpede.2019.06.010
468. Tibia 2020 Carsen S, Doyle M, Smit K, Shefrin A, Varshney T. Point-of-care ultrasound in the emergency department may provide more accurate diagnosis of toddler fractures than radiographs: a pilot study. Orthopaedic Proceedings. 2020;102-B(SUPP_7):95-95. doi:10.1302/1358-992X.2020.7.095